


ALUMINIUM SOLUTIONS  
FOR INTERIOR SPACE  
CONFIGURATIONS

PROFILES & ACCESSORIES  
INTERIOR JOINERY





**SEED IS A DESIGNER OF ALUMINIUM SYSTEMS (PROFILES AND ACCESSORIES), INTENDED FOR PROFESSIONALS IN THE BUILDING FINISHING SECTOR.**

For the past 25 years, SEED has been part of the world of interior design, layout, and furnishing, working alongside skilled professionals who share their values of quality and aesthetics.

As a designer of aluminium systems used in the creation of wardrobes, dressing rooms, internal glass partitions, doors, modular furniture, and more, SEED places innovation at the heart of its development process and offers product ranges that are stylish, modular, creative, customisable, and easy to implement.

SEED's product approach is centred on practical use, bridging technical design with manufacturing and real-world application.



**25** years  
of expertise in interior  
layout, design, and  
furnishing solutions



Specialist in aluminium systems and product ranges



All our references in stock colours  
Dispatched within

**15**  
working days



INNOVATION AND PRODUCT DYNAMISM  
Patents, Designs, and Registered Models

A simple and intuitive project configuration tool





# RANGES & SYSTEMS

Profiles and accessories for the manufacture of joinery and interior furniture



## DESIGN & ARCHITECTURAL

Page 6

### INTERNAL GLASS PARTITION

- > ON SILL V30
- > FULL HEIGHT V70

• SYMPHONIE

### DOOR

- > SWING DOOR
- > SUSPENDED SLIDING DOOR 40 Kg
- > SUSPENDED SLIDING DOOR 70 Kg

• HARMONE

### PARTITION

- > PARTITION
- > SPACE DIVIDER

• AIRGO

• LEFT

### BALUSTRADE

- > FULL-HEIGHT GLAZED PANEL

• PERSPECTE

**3 WORLDS AND 6 RANGES**  
TO PERSONALISE YOUR  
PROJECTS

## LAYOUT & WARDROBE

Page 36

### WARDROBE

- > SLIDING 82-96
- > PIVOTING
- > SWING CADRALU

• COZE

### WALK-IN WARDROBE

- > CLOTHES RACK & SHELF
- > CLOTHES HANGING AREA

• LEEF

## FURNITURE & SPATIAL DESIGN

Page 64

### MODULAR FURNITURE

- > WALL SHELF
- > BOOKCASE
- > DESIGNER FURNITURE

• AIRGO & LEEF

### DISPLAY FURNITURE

- > CLOTHING RACK & DISPLAY STAND
- > PODIUM & ISLAND UNIT

• AIRGO & LEEF

## THE CLASSICS

Standard Profiles

A range of 8 profiles



## THE KITS

“Ready-to-assemble”  
solutions

- INTERNAL GLASS PARTITION KITS
- HINGED DOOR KITS
- WARDROBE KITS
- AIRGO KITS
- LEEFT KITS



A photograph of a modern living room interior. It features a light-colored sofa with dark cushions, a dark wood coffee table with books and a candle, and a white curtain partially covering a window. The room is brightly lit, suggesting a sunny day.

## DESIGN & ARCHITECTURAL

- V30 / GLASS PARTITION ON HALF-WALL **P 8-11**
- V70 / FULL-HEIGHT GLASS PARTITION **P 12-15**
- SWING DOOR **P 16-19**
- SUSPENDED SLIDING DOOR 40 KG **P 20-23**
- SUSPENDED SLIDING DOOR 70 KG **P 24-27**
- AIRGO MODULAR RANGE **P 28-31**
- LEEFT MODULAR RANGE **P 32-35**
- RAILING RANGE **P 36-39**


# > V30 / GLASS PARTITION ON HALF-WALL

## Internal Glass Partition Solutions | RANGE SYMPHONY


The aluminium profiles are made of clip-on components, allowing for quick installation of glazing or decorative panels with a thickness of 6mm to 8mm. The aluminium profiles can be cut at a right angle (90°) or mitre (45°), and assembly is carried out using brackets held in place within the profiles by tightening the fixing screws. Spacers ensure precise positioning of the glazing or cladding at the back of the profiles.



Simple Glass Partition



Glass Partition with Right Angle



Glass Partition with Cut Design



Glass Partition with cross profiles



Glass Partition on half-wall with Suspended Door



Glass Partition on half-wall with Swing Door



## PRODUCT ADVANTAGES :

- > Simplicity to manufacture, assemble, and install (straight cuts, clip-on glazing beads, and bracket-based assembly).
- > Breakable finishing profile (U75 reference) for simplified and aesthetically pleasing installation on half-wall.
- > A short, modular range suitable for various applications.
- > Various system components allow for easy customisation and enhanced modularity.

### Customisation and finish

- > **6 - 8 mm Filling**  
Glazing or decorative panel
- > **Listel Glazing Bead**  
for integration of custom edge banding
- > **Bi-coloration interior/exterior**  
with the clip-on concept
- > **Modular composition**  
Flat profiles 25, 30, and 44mm adhesive/ non-adhesive to adjust the configuration.

### Shades and finishes



WHITE LACQUERED  
POWDER COATING  
WITH A FINE  
TEXTURE 9003



BLACK LACQUERED  
POWDER COATING  
WITH A FINE  
TEXTURE 9005




GREY LACQUERED  
POWDER COATING  
WITH A FINE  
TEXTURE 7016



BROWN  
LACQUERED  
POWDER COA-  
TING WITH A  
FINE TEXTURE  
2650




MULTI-RAL




**PLAT25** - FLAT PROFILE 25X3 MM WITH ADHESIVE  
**PLAT30** - FLAT PROFILE 30X3 MM WITH ADHESIVE  
**PLAT44** - FLAT PROFILE 44X3 MM WITH ADHESIVE  
**PPLAT44** - FLAT PROFILE 44X3 MM WITHOUT ADHESIVE



# > V30 / GLASS PARTITION ON HALF-WALL



## TECHNICAL INFORMATION



## DIMENSIONAL CHARTS

### ON HALF-WALL V30

#### LENGTH

Minimum 400mm / Maximum 5000mm

#### HEIGHT

Minimum 400mm / Maximum 1700mm

## PRE-CUT KIT SOLUTIONS


### Resizable Range

(adaptable to your needs - easy cutting)

Unique height: 1250 mm

4 widths:

- 810 mm → 1 cross profile
- 1200 mm → 2 cross profiles
- 1590 mm → 3 cross profiles
- 1980 mm → 4 cross profiles



### Kit Composition

- 2 frame bars + horizontal glazing beads
- 2 frame bars + vertical glazing beads
- 1, 2, 3, or 4 cross profiles+ intermediate glazing beads
- Brackets, seals, and 5 mm wedges

More information about our kits on page 84

- KITV30LNOG810** RAL 9005 810mm
- KITV30LBLG810** RAL 9003 810mm
- KITV30LNOG1200** RAL 9005 1200mm
- KITV30LBLG1200** RAL 9003 1200mm
- KITV30LNOG1590** RAL 9005 1590mm
- KITV30LBLG1590** RAL 9003 1590mm
- KITV30LNOG1980** RAL 9005 1980mm
- KITV30LBLG1980** RAL 9003 1980mm

ACCESSORIES		Packaging	Finish	Item Code
ASSEMBLY BRACKET		Pack of 10	Black steel	EQUER70x70-2
GLAZING BEAD CLIPS FOR V30 CROSS PROFILE		Pack of 20	Black	CLIPV30
BUBBLE GASKET FOR PROFILE		Pack of 25 ml	Black	JRLP-47NO-25
			White	JRLP-47BL-25
			Translucent	JRLP-47TR-25
		100-meter Roll	Black	JRLP-47NO
			White	JRLP-47BL
			Translucent	JRLP-47TR
FLAT GASKET FOR PROFILE		Pack of 25 ml	Black	JTPE-48NO-25
			White	JTPE-48BL-25
			Translucent	JTPE-48TR-25
		100-meter Roll	Black	JTPE-48NO
			White	JTPE-48BL
			Translucent	JTPE-48TR
FLAT GASKET FOR FINISHING WITHOUT GLAZING		100-meter Roll	Black	JBUTNO
			Grey	JBUTGR
2 MM WEDGE		Pack of 10	Blue	CALE2
5 MM WEDGE		Pack of 10	Green	CALE5


PROFILES			Packaging 5140 mm 2550 mm	Finish <i>See page 9 for all our colours and finishes.</i>	Item Code 5140 mm	Item Code 2550 mm
V30 CLIP FRAME PROFILE			1/8 bars 2/16 bars	Raw	BRPCV30N	•
				RAL 9003	PCV30NL9003G	PCV30NL9003G25
				RAL 7016	PCV30NLGR7016G	PCV30NLGR7016G25
				RAL 2650	PCV30NLBN2650G	PCV30NLBN2650G25
				RAL 9005	PCV30NLNOG	PCV30NLNOG25
V30 CLIP FRAME GLAZING BEAD			1/8 bars 2/16 bars	Raw	BRPACV30N	•
				RAL 9003	PACV30NL9003G	PACV30NL9003G25
				RAL 7016	PACV30NLGR7016G	PACV30NLGR7016G25
				RAL 2650	PACV30NLBN2650G	PACV30NLBN2650G25
				RAL 9005	PACV30NLNOG	PACV30NLNOG25
V30 CLIP FRAME GLAZING BEAD WITH EDGE BAND			1/8 bars 2/16 bars	RAL 9003	PACLV30NL9003G	PACLV30NL9003G25
				RAL 9005	PACLV30NLNOG	PACLV30NLNOG25
				Raw	BRPTV30N	•
V30 CLIP CROSS PROFILE			1/8 bars 2/16 bars	RAL 9003	PTV30NL9003G	PTV30NL9003G25
				RAL 7016	PTV30NLGR7016G	PTV30NLGR7016G25
				RAL 2650	PTV30NLBN2650G	PTV30NLBN2650G25
				RAL 9005	PTV30NLNOG	PTV30NLNOG25
				Raw	BRPATV30N	•
V30 CLIP CROSS PROFILE GLAZING BEAD			1/8 bars 2/16 bars	RAL 9003	PATV30NL9003G	PATV30NL9003G25
				RAL 7016	PATV30NLGR7016G	PATV30NLGR7016G25
				RAL 2650	PATV30NLBN2650G	PATV30NLBN2650G25
				RAL 9005	PATV30NLNOG	PATV30NLNOG25
				Raw	BRPATV30N	•
V30 CLIP CROSS PROFILE GLAZING BEAD WITH EDGE BAND			1/8 bars 2/16 bars	RAL 9003	PATLV30NL9003G	PATLV30NL9003G25
				RAL 9005	PATLV30NLNOG	PATLV30NLNOG25
				Raw	BRPANGLEV30	•
CORNER POST			2/4 bars	RAL 9003	PANGLEV30LB9003G	PANGLEV30LB9003G25
				RAL 7016	PANGLEV30LGR7016G	PANGLEV30LGR7016G25
				RAL 2650	PANGLEV30LBN2650G	PANGLEV30LBN2650G25
				RAL 9005	PANGLEV30LNOG	PANGLEV30LNOG25
				Raw	BRPLAT25	•
FLAT PROFILE 25X3 WITH DOUBLE-SIDED TAPE EXCEPT FOR THE RAW VERSION			1/10 bars 2/20 bars	RAL 9003	PLAT25LB9003G	PLAT25LB9003G25
				RAL 7016	PLAT25LGR7016G	PLAT25LGR7016G25
				RAL 9005	PLAT25LNOG	PLAT25LNOG25
				Raw	BRPLAT30	•
FLAT PROFILE 30X3 WITH DOUBLE-SIDED TAPE EXCEPT FOR THE RAW VERSION			1/10 bars 2/20 bars	RAL 9003	PLAT30LB9003G	PLAT30LB9003G25
				RAL 7016	PLAT30LGR7016G	PLAT30LGR7016G25
				RAL 9005	PLAT30LNOG	PLAT30LNOG25
				Raw	BRPLAT44	•
FLAT PROFILE 44X3 WITH DOUBLE-SIDED TAPE			1/10 bars 2/20 bars	RAL 9003	PLAT44LB9003G	PLAT44LB9003G25
				RAL 7016	PLAT44LGR7016G	PLAT44LGR7016G25
				RAL 9005	PLAT44LNOG	PLAT44LNOG25
				Raw	BRPLAT44	BRPLAT44-25
FLAT PROFILE 44X3 WITHOUT DOUBLE-SIDED TAPE			1/10 bars 2/20 bars	RAL 9003	PPLAT44LB9003G	PPLAT44LB9003G25
				RAL 9005	PPLAT44LNOG	PPLAT44LNOG25
				RAL 7016	PPLAT44LGR7016G	PPLAT44LGR7016G25
				Raw	BRU75	•
U75 CLADDING PROFILE			1/4 bars 2/8 bars	RAL 9003	U75LB9003G	U75LB9003G25
				RAL 7016	U75LGR7016G	U75LGR7016G25
				RAL 9005	U75LNOG	U75LNOG25
				Raw	BRU75	•

# > V70 / FULL-HEIGHT GLAZING

## Interior Glazing Solutions

RANGE  
**SYMPHONIE**

The aluminium profiles are made up of clip-on components, allowing for quick installation of glazing or decorative panels with a thickness of 6mm to 8mm. The aluminium profiles can be cut at a right angle (90°), and assembly is carried out using brackets secured within the profiles by tightening the fixing screws. Spacers are used to ensure precise positioning of the glazing or cladding at the bottom of the profiles.



Full-height glazing with plinth



Full-height glazing - simple design



Full-height glazing with cross profiles



Full-Height Glazing with Doorway and cross profiles



Full-height glazing with integrated swing door



Full-height Corner glazing







## PRODUCT ADVANTAGES :

- > Simplicity to manufacture, assemble and install (straight cuts, clip-on glazing beads, bracket assembly).
- > Modular and adaptable system for customised solutions.
- > Easy integration of swing doors.
- > Full-height interior corner glazing for an architectural solution.
- > Profiles optimised for wall thickness, providing a robust and cost-effective solution.

## Customisation and Finish

- > **6-8 mm Infill**  
Glazing or decorative panel
- > **Dual colour finish**  
Different colours for interior and exterior using the clip-on system
- > **Acoustic performance**  
Sound reduction index RA, tr up to 36 dB
- > **Modular composition**  
Adhesive flat profiles 25, 30, and 44 mm for configurable layouts


## Shades and Finishes




**PLAT25** - FLAT PROFILE 25X3 MM WITH ADHESIVE  
**PLAT30** - FLAT PROFILE 30X3 MM WITH ADHESIVE  
**PLAT44** - FLAT PROFILE 44X3 MM WITH ADHESIVE



# > V70 RANGE / FULL-HEIGHT GLAZING



## V70 SYSTEM ASSEMBLY



### V70 FULL-HEIGHT

#### LENGTH

Minimum: 400 mm / Maximum: 10 000 mm

#### HEIGHT

Minimum 400mm / Maximum 2 700mm



Try our  
configuration tool

ACCESSORIES		Packaging	Finish	Item Code
ASSEMBLY BRACKET 100 x 100		Pack of 10	black steel	EQUER100X100
GLAZING BEAD CLIPS FOR V30 CROSS PROFILE		Pack of 20	Black Steel	CLIPV30
BUBBLE GASKET FOR FROFIL		Pack of 25 ml	Black	JRLP-47NO-25
			White	JRLP-47BL-25
			Translucent	JRLP-47TR-25
		100-meter Roll	Black	JRLP-47NO
			White	JRLP-47BL
			Translucent	JRLP-47TR
FLAT GASKET FOR FROFIL		Pack of 25 ml	Black	JTPE-48NO-25
			White	JTPE-48BL-25
			Translucent	JTPE-48TR-25
		100-meter Roll	Black	JTPE-48NO
			White	JTPE-48BL
			Translucent	JTPE-48TR
WEDGE 4		Pack of 10	Grey	CALE4

PROFILES		Packaging 5500mm 2750 mm	Finish <i>See page 13 for all our colours and finishes.</i>	Item Code 5500 mm	Item Code 2750 mm
V70 PARTITION PROFILE		1/2 bars 2/4 bars	Raw	BRPCV70	BRPCV70-25
			RAL 9005	PCV70LNOG	PCV70LNOG25
			RAL 7016	PCV70LGRG	PCV70LGRG25
			RAL 9003	PCV70LBLG	PCV70LBLG25
V70 PARTITION FINISHING BEAD		1/4 bars 2/8 bars	Raw	BRPAFV70	BRPAFV70-25
			RAL 9005	PAFV70LNOG	PAFV70LNOG25
			RAL 7016	PAFV70LGRG	PAFV70LGRG25
			RAL 9003	PAFV70LBLG	PAFV70LBLG25
V70 PARTITION INTERMEDIATE GLAZING BEAD		1/4 bars 2/8 bars	Raw	BRPAIV70	BRPAIV70-25
			RAL 9005	PAIV70LNOG	PAIV70LNOG25
			RAL 7016	PAIV70LGRG	PAIV70LGRG25
			RAL 9003	PAIV70LBLG	PAIV70LBLG25
V70 PARTITION SWING DOOR GLAZING BEAD		1/4 bars 2/8 bars	Raw	BRPADV70	BRPADV70-25
			RAL 9005	PADV70LNOG	PADV70LNOG25
			RAL 7016	PADV70LGRG	PADV70LGRG25
			RAL 9003	PADV70LBLG	PADV70LBLG25
V70 PARTITION CORNER POST		1 bar 2 bars	Raw	BRPANGLEV70	BRPANGLEV70-25
			RAL 9005	PANGLEV70LNOG	PANGLEV70LNOG25
			RAL 7016	PANGLEV70LGRG	PANGLEV70LGRG25
			RAL 9003	PANGLEV70LBLG	PANGLEV70LBLG25
				<b>5140 mm</b>	<b>2550 mm</b>
70 MM SKIRTING COMPENSATOR		1/4 barres 2/8 barres	Raw	BRCOMP70	BRCOMP7025
23 MM FINISHING STRIP		1/8 barres 2/16 barres	Raw	BR-PF23	•
			RAL 9005	PF23LNO9005G	PF23LNO9005G25
			RAL 7016	PF23LGR7016G	PF23LGR7016G25
			RAL 9003	PF23LBL9003G	PF23LBL9003G25
FLAT PROFILE 25X3 MM WITH DOUBLE-SIDED TAPE APPLIED		1/10 bars 2/20 bars	Raw	BRPLAT25	•
			RAL 9003	PLAT25LBL9003G	PLAT25LBL9003G25
			RAL 7016	PLAT25LGR7016G	PLAT25LGR7016G25
			RAL 9005	PLAT25LNOG	PLAT25LNOG25
FLAT PROFILE 30X3 MM WITH DOUBLE-SIDED TAPE APPLIED		1/10 bars 2/20 bars	Raw	BRPLAT30	•
			RAL 9003	PLAT30LBL9003G	PLAT30LBL9003G25
			RAL 7016	PLAT30LGR7016G	PLAT30LGR7016G25
			RAL 9005	PLAT30LNOG	PLAT30LNOG25
FLAT PROFILE 44X3 MM WITH DOUBLE-SIDED TAPE APPLIED		1/10 bars 2/20 bars	RAL 9003	PLAT44LBL9003G	PLAT44LBL9003G25
			RAL 7016	PLAT44LGR7016G	PLAT44LGR7016G25
			RAL 9005	PLAT44LNOG	PLAT44LNOG25

# > SWING DOOR

## DOOR Solutions

RANGE  
**HARMONE**

A simple and comprehensive system that allows for the design of swing doors, the creation of various configurations, and seamless integration into specific environments.

A straightforward solution in its composition, requiring minimal machining.

**Refined and minimalist design solutions.**



Single door  
without frame



Door with frame,  
horizontal crosspieces  
and optional flat profile



Door with plinth  
and optional flat  
profile



Door with frame



Door with frame  
and transom



Swing door with  
side panel





## PRODUCT ADVANTAGES:

- > Simplicity to manufacture: straight cuts, no machining required
- > 66 mm post pre-machined for lock integration
- > Compatibility with the Symphonee interior glazing range
- > Aesthetic design: 28 mm or 37 mm cross profile for continuity of line between the hinged door and the Symphonee interior glazing range


## > Customisation and finish

6-8 mm infill

Glazing or decorative panel

### Lock options

- Roller Only
- Roller + Latch + Half Cylinder
- Latch Bolt + Deadbolt



ROLLER LOCK WITH OR WITHOUT HALF CYLINDER LATCH



LOCK FOR LEVER HANDLE

### Handle set offer

- 1 Pull Handle
  - 1 Lever Handle
- (Available in Black or Stainless Steel finish)



PULL HANDLE IN BLACK, WHITE OR GREY



LEVER HANDLE IN BLACK OR STAINLESS STEEL

### Accessories

(Cover Plate / Strike Plate)

- Black and White



STRIKE PLATE



OPENING DOOR ASSEMBLY COVER KIT

### Cross profiles



28 mm or 37 mm for line continuity between the hinged door and the partition ranges.



INTERMEDIATE CROSS PROFILE 37



INTERMEDIATE CROSS PROFILE 28



### Shades and Finishes



WHITE LACQUERED POWDER COATING WITH A FINE TEXTURE 9003



BLACK LACQUERED POWDER COATING WITH A FINE TEXTURE 9005



GREY LACQUERED POWDER COATING WITH A FINE TEXTURE 7016



MULTI-RAL



# > SWING DOOR


ACCESSORIES		Packaging	Finish <i>See page 17 for all our colours and finishes.</i>	Item Code
REVERSIBLE HINGE WITH SCREWS AND INSERTS, ASSEMBLED		Pack of 2	RAL 9003	PAUMGBLM
			RAL 9005	PAUMRLBG
			RAL 7016	PAUMRLGRG
			multi-RAL	PAUMRLMR
ASSEMBLY COVER FOR SWING DOOR PROFILE 40 + SCREWS		Pack of 2	Black Plastic	CAPOTOUVNOM
			White Plastic	CAPOTOUVBLM
ASSEMBLY COVER FOR SWING DOOR PROFILE 66 + SCREWS		Pack of 2	Black Plastic	CAPOTOUV66NOM
			White Plastic	CAPOTOUV66BLM
STRIKE PLATE + SCREWS		Pack of 1	Black Plastic	GACHEPOUVM
			White Plastic	GACHEPOUVBLM
LEVER HANDLE		Box of 1	Black	BEQUILLENOM
			Stainless steel	BEQUILLEBIM
PULL HANDLE + SCREWS		Pack of 1	RAL 9003	PTIROUVLBLM
			RAL 9005	PTIROUVSNOM
			RAL 7016	PTIROUVLGRM
LOCK FOR LEVER HANDLE		Pack of 1	Steel	SERPENE35M
(EURO) CYLINDER WITH KEYS		Box of 1	Steel	CYLINDRE35X35
PRE-ASSEMBLED ROLLER LOCK ONLY		Pack of 1	White Steel	SERROULM
ROLLER LOCK + LATCH + HALF CYLINDER WITH KEYS		Pack of 1	White Steel	SERROULPENM
PRE-ASSEMBLED LATCH BOLT LOCK		Pack of 1	Black Steel	VERROU23M
GLAZING GASKET 6-8 mm		2.5 m Bar	Black	PVITRAGENO
			Translucent	PVITRAGE
V30 CLIP		Pack of 20	Black	CLIPV30
BUBBLE GASKET		100-meter Roll	Black	JRLP-47NO
FLAT GASKET		100-meter Roll	Black	JTPE-48NO
4.8 X 50 SELF-TAPPING SCREW		Box of 500	White Steel	VIS4,8*50AF
20 MM DOUBLE-SIDED TAPE		50-meter Roll	Translucent	DBFACETRANS

## Dimensional Charts

DIMENSIONS
<b>WIDTH</b> Minimum 630 mm to 930 mm
<b>HEIGHT</b> 2200mm maxi
3 hinges for heights up to 2040 mm
4 hinges for heights above 2040 mm and up to 2200 mm




Try our  
configuration tool



## Also Available as Ready-to-Assemble KITS

### ADJUSTABLE RANGE



#### • KITPORTE20LNOG

2241 x 992 mm (for a 2200 x 930 mm door)

Swing door kit with black lacquered powder coated frame

#### • KITPORTE30LNOG

2200 x 930 mm door

Swing door kit for V70 in black lacquered powder coating



#### • KITPORTE20LBLG

2241 x 992 mm (for a 2200 x 930 mm door)

Swing door kit with white lacquered powder coated frame

#### • KITPORTE30LBLG

2200x930mm door

Swing door kit for V70 in white lacquered powder coating

For more information about our kits, please refer to page 85.

PROFILES			Packaging	Finish <i>See page 17 for all our colours and finishes.</i>	Item Code 2200 mm
SWING DOOR PROFILE 66 MACHINED FOR HANDLE AND LOCK			1 bar	RAL 9003	PO66LNG22U
				RAL 9005	PO66LNOG22U
				RAL 7016	PO66LGRG22U
					Item Code 4500 mm
SWING DOOR PROFILE 40			1/2 bars	Raw	BRP040
				RAL 9003	PO40LBLG
				RAL 9005	PO40LNOG
				RAL 7016	PO40LGRG
SWING DOOR PROFILE 66			1/2 bars	Raw	BRP066
				RAL 9003	PO66LBLG
				RAL 9005	PO66LNOG
				RAL 7016	PO66LGRG
TOP AND BOTTOM CROSS PROFILE 40			1/2 bars	Raw	BRTHB40
				RAL 9003	THB40LBLG
				RAL 9005	THB40LNOG
				RAL 7016	THB40LGRG
					Item Code 5140 mm
FRAME PROFILE 26			1/2 bars	Raw	BR-PD26
				RAL 9003	PD26LBL9003G
				RAL 9005	PD26LNO9005G
				RAL 7016	PD26LGR7016G
FRAME GLAZING PROFILE 26			1/8 bars	Raw	BR-PD40
				RAL 9003	PD40LBL9003G
				RAL 9005	PD40LNO9005G
				RAL 7016	PD40LGR7016G
FLAT FINISHING PROFILE 23			1/8 bars	Raw	BR-PF23
				RAL 9003	PF23LBL9003G
				RAL 9005	PF23LNO9005G
				RAL 7016	PF23LGR7016G
INTERMEDIATE CROSS PROFILE 28			1/5 bars	Raw	BRTI28
				RAL 9003	TI28LBLG
				RAL 9005	TI28LNOG
				RAL 7016	TI28LGR7016G
INTERMEDIATE CROSS PROFILE 37			1/4 bars	Raw	BRTI37
				RAL 9003	TI37LBLG
				RAL 9005	TI37LNOG
				RAL 7016	TI37LGR7016G
FLAT PROFILE 25x3 with double-sided tape applied (except for the raw version)			1/10 bars	Raw	BRPLAT25
				RAL 9003	PLAT25LBL9003G
				RAL 9005	PLAT25LNOG
				RAL 7016	PLAT25LGR7016G
FLAT PROFILE 44x3 SINGLE-SIDED			1/10 bars	Raw	BRPLAT44
				RAL 9003	PPLAT44LBL9003G
				RAL 9005	PPLAT44LNOG
				RAL 7016	PPLAT44LGR7016G


# > 40 KG SUSPENDED SLIDING DOOR

## DOOR Solutions

RANGE  
**HARMONE**

Suspended sliding doors are ideal for optimising space division, thanks to their wall-mounted or ceiling-mounted installation system. Featuring a soft-close mechanism, they provide a lightweight, easy-to-install solution.





## PRODUCT ADVANTAGES:

- > Easy installation
- > Lateral adjustment for perfect alignment
- > Dual soft-close damper for both opening and closing
- > Patented carriage system
- > Wall or ceiling mounting – top rail adjustable via bracket system

### > Customisation and Finish

#### Inserts of 6-8 mm or 10-12 mm Glazing or decorative panel

- Two handle profiles: 810 and 820
- Compatible with the interior glass partition solutions (V30 and V70 ranges)
- Adhesive flat profiles in 25, 30, and 44 mm, offering an alternative to crossbars and allowing for customisable aesthetics

#### Shades and Finishes



WHITE  
LACQUERED  
POWDER  
COATING WITH  
A FINE TEXTURE  
9003




BLACK  
LACQUERED  
POWDER  
COATING WITH  
A FINE TEXTURE  
9005



GREY  
LACQUERED  
POWDER  
COATING WITH  
A FINE TEXTURE  
7016



MULTI-RAL



**PLAT25** - FLAT PROFILE 25X3 MM WITH ADHESIVE  
**PLAT30** - FLAT PROFILE 30X3 MM WITH ADHESIVE  
**PLAT44** - FLAT PROFILE 44X3 MM WITH ADHESIVE




# > 40 KG SUSPENDED SLIDING DOOR


## DOOR Solutions

RANGE  
**HARMONE**

ACCESSORIES		Packaging	Finish	Item Code
SUSPENSION CARRIAGE AND INSERT		1 unit	Alloy	CHARIOT40N
KIT: 2 CARRIAGES + 1 BOTTOM GUIDE + 4 SCREWS		Pack of 2	Alloy	KITCHARIOT40N
SUSPENSION BRACKET + SCREWS		1 unit	Black Lacquered Steel	EQUERSUSPM
TOP RAIL FINISHING COVER		1 unit	Black Plastic	CAPOT40
BOTTOM GUIDE		1 unit	Steel & Black Rubber	GUIDBAS
SPRING BRAKE BLADE		1 / 10 units	Stainless Steel	FREIN
BRAKE PLATE + SCREWS		1 / 10 units	White Galvanised Steel	PLATLAME40
DUAL SOFT-CLOSE DAMPER 40KG		1 unit	Black	FR40D
FLAT SIDE SEAL		100-meter Roll	Black	JBUTNO
FLAT SIDE SEAL		100-meter Roll	Grey	JBUTGR
6-8 MM GLAZING SEAL		2.5 Metre Long Bar	Translucent	PVITRAGE
6-8 MM GLAZING SEAL		2.5 Metre Long Bar	Black	PVITRAGENO
10-12 MM GLAZING SEAL		2.5 Metre Long Bar	Translucent	PVITRAGE12
4.8 X 38/41 SELF-DRILLING ASSEMBLY SCREW		Box of 200	Galvanised Steel	VIS4.8*40



40 kg trolley



Try our configuration tool


PROFILES		Packaging 5140 mm 2550 mm	Finish <i>See page 21 for all our colours and finishes.</i>	Item Code 5140 mm	Item Code 2550 mm	
SINGLE TOP GUIDE RAIL			1/2 bars 2/4 bars	Raw	BRRHS43	*
				RAL 9003	RHS43LBLG	RHS43LBLG25
				RAL 9005	RHS43LNOG	RHS43LNOG25
				RAL 7016	RHS43LGRG	RHS43LGRG25
HANDLE P810			1/2 bars 2/4 bars	Raw	BRP810	*
				RAL 9003	P810LBLG	P810LBLG25
				RAL 9005	P810LNOG	P810LNOG25
				RAL 7016	P810LGRG	P810LGRG25
HANDLE P820			1/2 bars 2/4 bars	Raw	BRP820	*
				RAL 9003	P820LBLG	P820LBLG25
				RAL 9005	P820LNOG	P820LNOG25
				RAL 7016	P820LGRG	P820LGRG25
INTERMEDIATE CROSS PROFILE 28			1/5 bars 2/10 bars	Raw	BRTI28	*
				RAL 9003	TI28LBLG	TI28LBLG25
				RAL 9005	TI28LNOG	TI28LNOG25
				RAL 7016	TI28LGR7016G	TI28LGR7016G25
INTERMEDIATE CROSS PROFILE 37			1/4 bars 2/8 bars	Raw	BRTI37	*
				RAL 9003	TI37LBLG	TI37LBLG25
				RAL 9005	TI37LNOG	TI37LNOG25
				RAL 7016	TI37LGRG	TI37LGRG25
TOP AND BOTTOM CROSS PROFILE 52			1/2 bars 2/4 bars	Raw	BRTHB52	*
				RAL 9003	THB52LBLG	THB52LBLG25
				RAL 9005	THB52LNOG	THB52LNOG25
				RAL 7016	THB52LGRG	THB52LGRG25
FLAT PROFILE 25X3 WITH DOUBLE-SIDED TAPE			1/10 bars 2/20 bars	Raw	BRPLAT25	*
				RAL 9003	PLAT25LBL9003G	PLAT25LBL9003G25
				RAL 7016	PLAT25LGR7016G	PLAT25LGR7016G25
				RAL 9005	PLAT25LNOG	PLAT25LNOG25
FLAT PROFILE 30X3 WITH DOUBLE-SIDED TAPE			1/10 bars 2/20 bars	Raw	BRPLAT30	*
				RAL 9003	PLAT30LBL9003G	PLAT30LBL9003G25
				RAL 7016	PLAT30LGR7016G	PLAT30LGR7016G25
				RAL 9005	PLAT30LNOG	PLAT30LNOG25
FLAT PROFILE 44X3			1/10 bars 2/20 bars	Raw	BRPLAT44	BRPLAT44-25
				RAL 9003	PPLAT44LBL9003G	PPLAT44LBL9003G25
				RAL 9005	PPLAT44LNOG	PPLAT44LNOG25
				RAL 7016	PPLAT44LGR7016G	PPLAT44LGR7016G25

# > 70 KG SUSPENDED SLIDING DOOR

## DOOR Solutions

RANGE  
**HARMONE**

Suspended sliding doors are an ideal solution for optimising space division, thanks to their wall- or ceiling-mounted installation system. Their soft-closing mechanism provides a lightweight, easy-to-implement solution.



### Shades and Finishes



WHITE  
LACQUERED  
FINISH 9010




BLACK  
LACQUERED  
POWDER  
COATING WITH  
A FINE TEXTURE  
9005



ANODISED  
SILVER



STAINLESS  
STEEL



MULTI-RAL



## PRODUCT ADVANTAGES :

- > Open top rail allowing for surface mounting with decorative fascia
- > Guide driver to enable multi-panel configurations
- > Robust system capable of supporting weights of up to 70 kg
- > «All-wood» configuration using the wood KIT system with dedicated fascia



### > Customisation and finish

#### Inserts of 6-8 mm or 10-12 mm Glazing or decorative panel

- Glazing 6-8 mm and 10-12 mm
- Wooden panel 30 to 40 mm thick
- 3 handle profiles: P810, P1000, and P7000
- Option to integrate a recessed handle into the P7000 profile.

### Aluminium system for 70 kg suspended wooden door


- ✓ A solid 100% wooden door
- ✓ Top decorative panel in wood, clipped on
- ✓ Concealed top track and mechanism
- ✓ Patented soft-close damping system
- ✓ Smooth, lightweight, and safe motion



# > 70 KG SUSPENDED SLIDING DOOR

ACCESSORIES		Packaging	Finish	Item code
70 KG TROLLEY		1 unit	Steel	CHARIOTM
TOP RAIL COVER		1 unit	Black Plastic	CAPOT
CLIP		Box of 500	Black	CLIP
SUSPENSION BRACKET		1 unit	Black steel	EQUERTOP
BOTTOM GUIDE		1 unit	Steel & black rubber	GUIDBAS
RIGHT DRIVE GUIDE		1 unit	Black steel	GUENTOPD
LEFT DRIVE GUIDE		1 unit	Black steel	GUENTOPG
SOFT-CLOSE DAMPER		1 unit	Black	FRTOP
STOPPER DAMPER		50 units	Black Plastic	FREINTOP
RECESSED HANDLE		1 unit	Silver Stainless steel	PCTOPSA PCTOP
FLAT SIDE GASKET		100-meter Roll	Black	JBUTNO
		100-meter Roll	Grey	JBUTGR
6-8 MM GLAZING GASKET		2.5 Metre Long Bar	Translucent	PVITRAGE
		2.5 Metre Long Bar	Black	PVITRAGENO
10-12 MM GLAZING GASKET		2.5 Metre Long Bar	Translucent	PVITRAGE12
4.5X50 SCREW - CROSS PROFILE FIXING		Box of 400	Galvanised Steel	VIS4,5X50
LOCK FOR P7000 PROFILE		1 unit	Steel	SERRURE

## 70 kg suspended door



PROFILES		Packaging 5140 mm 2550 mm	Finish		Item Code 5140 mm	Item Code 2550 mm
			<i>See page 24 for all our colours and finishes.</i>			
SUSPENDED TOP RAIL		1/2 bars 2/4 bars	RAL 9005		RAILTOP	RAILTOP25
SUSPENDED TOP RAIL COVER		1/4 bars 2/8 bars	Raw		BRB100	BRB100-25
			Anodised Silver		B100SA	B100SA25
			RAL 9010		B100LBL	B100LBL25
			RAL 9005		B100LNOG	B100LNOG25
HANDLE P810		1/2 bars 2/4 bars	Brushed Stainless Steel		B100BI	B100BI25
			Raw		BRP810	BRP810-25
			Anodised Silver		P810SA	P810SA25
			RAL 9010		P810LBL	P810LBL25
HANDLE P1000		1/2 bars 2/4 bars	RAL 9005		P810LNOG	P810LNOG25
			Brushed Stainless Steel		P810BI	P810BI25
			Raw		BRP1000	BRP1000-25
			Anodised Silver		P1000SA	P1000SA25
HANDLE P7000		1/2 bars 2/4 bars	RAL 9010		P1000LBL	P1000LBL25
			Raw		BRP7000	BRP7000-25
			Anodised Silver		P7000SA	P7000SA25
			RAL 9010		P7000LBL	P7000LBL25
INTERMEDIATE CROSS PROFILE 28		1/5 bars 2/10 bars	RAL 9005		P7000LNOG	P7000LNOG25
			Brushed Stainless Steel		P7000BI	P7000BI25
			Raw		BRT128	BRT128-25
			Anodised Silver		T128SA	T128SA25
INTERMEDIATE CROSS PROFILE 37		1/4 bars 2/8 bars	RAL 9010		T128LBL	T128LBL25
			RAL 9005		T128LNOG	T128LNOG25
			Brushed Stainless Steel		T128BI	T128BI25
			Raw		BRT137	-
CROSS PROFILE 75		1/2 bars 2/4 bars	RAL 9005		TI37LNOG	TI37LNOG25
			Raw		BRTHB75	BRTHB75-25
			Anodised Silver		THB75SA	THB75SA25
			RAL 9010		THB75LBL	THB75LBL25
			RAL 9005		THB75LNOG	THB75LNOG25
			Brushed Stainless Steel		THB75BI	THB75BI25

## 70kg Suspended door – wood-compatible variant



Try our configuration tool

ACCESSORIES		Packaging	Finish	Item Code
70KG TROLLEY KIT FOR WOOD-EN DOOR <small>(INCLUDES 2 COMPLETE TROLLEYS, 1 BOTTOM GUIDE, 4 SCREWS, AND 5 CLIPS)</small>		1 unit	Steel	KITCHARIOT70B
CLIP		Box of 500	Black	CLIP
SUSPENSION BRACKET		1 unit	Black steel	EQUERTOP
SOFT-CLOSE DAMPER		1 unit	Black	FRTOP
STOPPER DAMPER		50 units	Black Plastic	FREINTOP


PROFILES		Packaging 5140 mm 2550 mm	Finish <i>See page 24 for all our colours and finishes.</i>	Item Code 5140 mm	Item Code 2550 mm
SUSPENDED TOP RAIL		1 / 2 bars 2 / 4 bars	RAL 9005	RAILTOP	RAILTOP25
SUSPENDED TOP RAIL COVER 37		1 / 4 bars 2 / 8 bars	Raw	BRB37	BRB37-25

# > AIRGO MODULAR RANGE


## PARTITION Solutions

RANGE  
**AIRGO**

A modular system that enables you to create architectural atmospheres within interior spaces. A standard saw fitted with a blade suitable for aluminium is all you need to cut the profiles to the desired length. Thanks to our smart connectors, assembly is intuitive and quick, ensuring easy installation.



Floor / Ceiling




Niche / On half-wall

### Shades and Finishes



BLACK  
LACQUERED  
POWDER  
COATING WITH  
A FINE TEXTURE  
9005







## PRODUCT ADVANTAGES :

- > Two possible installation methods: surface-mounted and overhanging
- > Custom design tailored to the layout and integration constraints
- > Possibility to create an architectural screen using 2-way connectors
- > Easy to fabricate: straight cuts and plug & play assembly thanks to the patented connection system (no machining required)

# > AIRGO MODULAR RANGE


ACCESSORIES		Packaging	Finish	Item Code
2-WAY CONNECTOR		1 / 150 units	Textured Black	CONV2VLNOGN
CONNECTOR PIECE		1 / 200 units	Black Plastic	PJAIRGN
4.8 X 38 SELF-DRILLING SCREW		1 / 500 units	Galvanized steel	VIS4.8*38AF
Ø 10 BLACK PLUG		1 / 100 units	Black	CACHEVISD10



PROFILES		Packaging 5140 mm 2550 mm	Finish <i>See page 28 for all our colours and finishes.</i>	Item Code 5140 mm	Item Code 2550 mm
20X20 SQUARE PROFILE		1 / 4 bars 2 / 8 bars	RAL 9005	P20X20LNOG	P20X20LNOG25



Try our  
configuration tool



# > LEEFT MODULAR RANGE


## SPACE DIVIDER Solutions

RANGE  
**LEEFT**


Create solutions to separate rooms without fully enclosing them. The room dividers designed with the LEEFT range address functional, aesthetic, and ventilation requirements! How to define spaces while maintaining interior sightlines!



1 module



2 modules



3 modules and more

### Shades and Finishes



WHITE  
LACQUERED  
POWDER  
COATING WITH  
A FINE TEXTURE  
9003



BLACK  
LACQUERED  
POWDER COA-  
TING WITH A  
FINE TEXTURE  
9005






## PRODUCT ADVANTAGES :

- > Maximum modularity with a unique system consisting of a single profile
- > Easy to fabricate: straight cuts and assembly with brackets
- > Adjustable feet for optimal installation
- > Adjustable shelf support plate

# > LEEFT MODULAR RANGE

Also available in  
ready-to-assemble KITS


SCALABLE RANGE



- **KITLLEFT10LBLG** - Lleft Base Kit, 2 Posts 2500mm + 4 Supports
- **KITLLEFT10LNOG** - Lleft Base Kit, 2 Posts 2500mm + 4 Supports
- **KITLLEFT11LBLG** - Lleft Extension Kit, 1 Post 2500mm + 4 Supports
- **KITLLEFT11LNOG** - Lleft Extension Kit, 1 Post 2500mm + 4 Supports
- **KITSELEFTLNOG** - 2 Black Lacquered Shelf Supports Kit
- **KITSELEFTLBLG** - 2 White Lacquered Shelf Supports Kit

For more information on our kits, see page 87.

## Assembly



Try our  
configuration tool



ACCESSORIES		Packaging	Finish	Item Code
FIXING BRACKET 100 X 100		Pack of 10	Black Steel	EQUER100X100
SHELF SUPPORT KIT		Pack of 2	Textured Black	KITSELEEFTLNOG
		Pack of 2	Textured White	KITSELEEFTLBLG
FIXING PARTS KIT		Pack of 2	Textured Black	KITPFLEEFTHNO
		Pack of 2	Textured White	KITPFLEEFTHBL
ADJUSTABLE FOOT		Pack of 1	Black	PRLEEFTHNOM
		Pack of 1	White	PRLEEFTHBLM
DRAWER UNIT ASSEMBLY KIT		Pack of 2	Galvanized steel	KITBLOCTIR
FLAT SIDE GASKET		100-meter Roll	Black	JBUTNO
		100-meter Roll	Grey	JBUTGR


PROFILES		Packaging 5140 mm 2550 mm	Finish <i>See page 32 for all our colours and finishes.</i>	Item Code 5140 mm	Item Code 2550 mm
LEEFTH PROFILE 60		1/2 bars 2/4 bars	RAL 9005	PLEEFTH60LN0G	PLEEFTH60LN0G25
			RAL 9003	PLEEFTH60LBL9003G	PLEEFTH60LBL9003G25
23 MM FINISHING STRIP		1/8 bars 2/16 bars	RAL 9005	PF23LN09005G	PF23LN09005G25
			RAL 9003	PF23LBL9003G	PF23LBL9003G25

# > FULL-HEIGHT GLAZED RAILING

## RAILING Solutions

RANGE  
**PERSPECTIVE**V

A system designed for use in homes, residential buildings, offices, and public spaces. A sleek, elegant solution that is simple to install. Comprising just 3 profiles and a shim system, it is compatible with laminated and heat-soaked tempered glass infills (HST88.4 or HST1010.4), making it suitable for all interior and exterior styles.



Side-mounted installation



Top-mounted installation

### Customisation and Finish

- > Glass Infill (HSI)  
HST88.4 or HST1010.4
- > Optional: Handrail Profile
- > LED Integration

### Shades and Finishes



SILVER  
ANODISED



BLACK  
LACQUERED  
POWDER  
COATING WITH  
A FINE TEXTURE  
9005






## PRODUCT ADVANTAGES:

- > Top-mounted (French style) or side-mounted (English style)
- > Easy to fabricate pre-machined profiles ready for installation
- > Option to integrate LED lighting using dedicated shims (CALE17LED & CALE21LED)
- > Certified for residential and public (ERP) use

# > FULL-HEIGHT GLAZED RAILING

GLAZING ACCESSORIES		Packaging	Finish	Item Code Glass 88.4	Item Code Glass 1010.4
GLASS SHIM SET		Pack of 10 units	Black	CALE17	CALE21
GLASS SHIM SET WITH LED INTERGRATION		Pack of 10 units	Black	CALE17LED	CALE21LED
EXTERNAL GLASS GASKET		50-meter Roll	Black	J17EXT	J21EXT
EXTERNAL ADHESIVE GLASS GASKET		50-meter Roll	Black	J17EXTA	J21EXTA
INTERNAL GLASS GASKET		50-meter Roll	Black	J17INT	J21INT
HANDRAIL GLASS GASKET		50-meter Roll	Black	J17MC	J21MC

ACCESSORIES	Packaging	Finish <i>See page 36 for all our colours and finishes.</i>	Item Code Top-mounted	Item Code Side-mounted
SIDE CAP FOR RAILING PROFILE	1 unit	RAL 9005	CAPOTFSLNOG	CAPOTFNLNOG
		Anodised Silver	CAPOTFSSA	CAPOTFNESA
SIDE CAP FOR HANDRAIL PROFILE	1 unit	RAL 9005	CAPOTMCLNOG	
		Anodised Silver	CAPOTMCSA	
SHIM PLACEMENT TOOL	1 unit	Yellow Plastic	OUTILGC	

## STANDARDS AND PERFORMANCE

Technical Opinion from CERILAB No. RA-GC00270, No. RA-GC00271, No. RA-CG00282, and No. RA-CG00283

Static load resistance of 0.6 kN/ml with HST88.4 glass (residential-office)

Static load resistance of 1 kN/ml with HST1010.4 glass (Public ERP)

Resistance to dynamic impacts (hard body 100J and soft body 900J)

Execution Technical Specifications Booklet No. 3034 V3

NF P 01-013: Testing of railing - Methods and Criteria

NF EN 1991-1-1: Eurocode 1 - Actions on Structures and its annex NF P 06-111-2/A1


PROFILES			Packaging 3250 mm	Finish <i>See page 36 for all our colours and finishes.</i>	Item Code 3250 mm
MACHINED RAILING PROFILE FOR SIDE-MOUNTED INSTALLATION			2 bars	Raw	BRPGC120FN32
MACHINED RAILING PROFILE FOR TOP-MOUNTED INSTALLATION			2 bars	Anodised Silver	PGC120FSSA32
				RAL 9005	PGC120LNOG32
FINISH TRIM FOR RAILING PROFILE FOR TOP-MOUNTED INSTALLATION			2 bars	Anodised Silver	BF120SA32
				RAL 9005	BF120LNOG32
HANDRAIL PROFILE			2 bars	Anodised Silver	PMC50SA32
				RAL 9005	PMC50LNOG32

### DIMENSIONS


**WIDTH:**  
Max 1200mm

**HEIGHT:**  
According to current balustrade standards

**GLASS THICKNESS :**  
88.4 or 1010.4 laminated tempered glass







## LAYOUT & WARDROBE

→ SLIDING 82	P 42-45
→ SLIDING 96	P 46-51
→ WARDROBE 96 CADRALU	P 52-55
→ PIVOTING	P 56-59
→ PIVOTING CADRALU	P 60-63
→ SWING CADRALU	P 64-67
→ LEEFT	P 68-71

# > SLIDING 82


## WARDROBE Solutions

RANGE  
**COZE**

A simple and complete system that allows for the design of sliding doors, creating various configurations to seamlessly integrate into specific environments. A straightforward solution in its composition with limited machining, resulting in a sleek and stylish finish.


> Smooth movement thanks to a high-performance, patented mechanism.

### Multi-Panel




### > Customisation and Finish

- 19mm Infill. Decorative panel and mirror options available.
- 15+4 (mirror)
- 12+4 (mirror) with 16-19 shim
- 2 handle options



**P100 - PROFILE**  
19MM HANDLE



**P110 - PROFILE**  
19MM HANDLE

### Shades and finishes



WHITE  
LACQUERED  
FINISH 9010



ANODISED  
SILVER



MULTI-RAL




## PRODUCT ADVANTAGES:

- › High-performance mechanics (Bottom wheel, top guide, soft-close damper, etc.) approved by FCBA (40,000 cycles).
- › Integrated soft-close damper provides comfort during opening and closing, requiring no fine adjustments, which saves time during installation.
- › Option to integrate spring brake blades in place of the magnetic shock absorber brake.
- › Patented wheel system with anti-derailment mechanism, offering a smooth rolling experience.
- › Limited range for maximum product optimisation.

# > SLIDING 82

ACCESSORIES		Packaging	Finish	Item Code
BOTTOM WHEEL		1/120	Galvanised Steel with Roller	ROUTCN
2-WHEEL KIT FOR 1 DOOR		1/ 50	Galvanised Steel with Roller	KITROUPRO
TOP GUIDE 82		1/ 300	Galvanised Steel with Roller	GUIDHAUT82CN
SPRING BRAKE BLADE		1/10	Stainless Steel	FREIN
COATED SPRING BRAKE BLADE		1/10	Black PVC-Coated Stainless Steel	FREINENROB
82 SELF CLOSE DAMPER KIT 2 LEFT & RIGHT DAMPERS, 2 BRACKETS, 2 TOP GUIDES AND SCREWS		1/15	Black	FR-82
SLOPED CEILING KIT		1 unit	Galvanised Steel with Roller	KITSOUSPENTE
16-19MM SHIMS		Pack of 2 units	Black	CALE16-19MM
WARDROBE ROD SUPPORT L&R		Box of 100 L + 100 R	Grey Plastic	SUPTRINGLE
			Black Plastic	SUPTRINGLENO
KIT WITH 2 SUPPORTS + SCREWS		Box of 50 kits	Grey Plastic	KITSUPTRINGLE
			Black Plastic	KITSUPTRINGLENO



Also available in  
ready-to-assemble KITS

ADJUSTABLE RANGE



**KIT100LBL2**

White Lacquered P100 Handle Wardrobe Kit, 2 Doors

**KIT100LBL3**

White Lacquered P100 Handle Wardrobe Kit, 3 Doors

**KIT100SA2**



Satin Silver P100 Handle Wardrobe Kit, 2 Doors

**KIT100SA3**

Satin Silver P100 Handle Wardrobe Kit, 3 Doors

*Also available with P110 handle.*

For more information on our kits, see page 85.

PROFILES			Packaging 5140 mm 2550 mm	Finish <i>See page 42 for all our colours and finishes.</i>	Item Code 5140 mm	Item Code 2550 mm
TOP RAIL 82			1/2 bars 2/4 bars	Raw	BRRH82	BRRH82-25
				Anodised Silver	RH82SA	RH82SA25
				RAL 9010	RH82LBL	RH82LBL25
P100 HANDLE			1/8 bars 2/16 bars	Raw	BRP100	BRP100-25
				Anodised Silver	P100SA	P100SA25
				RAL 9010	P100LBL	P100LBL25
P110 HANDLE			1/4 bars 2/8 bars	Raw	BRP110	BRP110-25
				Anodised Silver	P110SA	P110SA25
				RAL 9010	P110LBL	P110LBL25
BOTTOM CORNER BRACKET			1/10 bars 2/20 bars	Raw	BRCCLA	BRCCLA25
				Anodised Silver	CCLASA	CCLASA25
				RAL 9010	CCLALBL	CCLALBL25
U19 PROFILE			1/10 bars 2/20 bars	Raw	BRU19	BRU19-25
				Anodised Silver	U19SA	U19SA25
				RAL 9010	U19LBL	U19LBL25
U25 PROFILE			1/2 bars	RAL 9010	U25/25	U25/25-25
BOTTOM RAIL 55			1/4 bars 2/8 bars	Raw	BRRB55	BRRB55-25
				Anodised Silver	RB55SA	RB55SA25
				RAL 9010	RB55LBL	RB55LBL25
SKIRTING COMPENSATOR 82			1/4 bars 2/8 bars	Raw	BRCOMP82	BRCOMP82-25
				Anodised Silver	COMP82SA	COMP82SA25
				RAL 9010	COMP82LBL	COMP82LBL25
				RAL 9005	COMP82LNO	COMP82LNO25
				RAL 9005	COMP82LNOG	COMP82LNOG25
DOUBLE U60 PROFILE			1/4 bars 2/8 bars	Raw	BRDU60	BRDU60-25
				Anodised Silver	DU60SA	DU60SA25
				RAL 9010	DU60LBL	DU60LBL25
SCREW-ON SUSPENSION PROFILE			1/10 bars 2/20 bars	Raw	BRPDSV	BRPDSV25
				Anodised Silver	DSVISSA	DSVISSA25
				RAL 9010	DSVISLBL	DSVISLBL25
CLIP-ON SUSPENSION PROFILE			1/10 bars 2/20 bars	Raw	BRPDSC	BRPDSC25
				Anodised Silver	DSCLIPSA	DSCLIPSA25
				RAL 9010	DSCLIPLBL	DSCLIPLBL25
WARDROBE ROD PROFILE			1/5 bars 2/20 bars	Anodised Silver	PENDERIESA	PENDERIESA25

**DIMENSIONS**

**DOOR PANEL WIDTH**  
Min: 500mm / Max: 1100mm

**DOOR PANEL HEIGHT**  
Max: 2600mm



Try our configuration tool




# > SLIDING 96

## WARDROBE Solutions


RANGE  
**COZE**

The Sliding 96 system is a solution that meets all integration and specification requirements for demanding projects. It supports sloped ceiling configurations. This premium system features patented mechanics, approved by FCBA, and offers numerous customisation options. Its integrated magnetic soft-close mechanism ensures smooth and effortless operation.

### Single track




### Double track




### > Customisation and finish

- 16/18/19mm decorative panel infill
- Integration of a cross profile




- Top rail allowing for the integration of a decorative strip for maximum customisation
- Various brush seal profiles and finishes
- Reversible cross profile (7 or 25mm)

### Sloped ceiling



### Shades and Finishes






## PRODUCT ADVANTAGES:

- > An efficient mechanism (bottom wheel, top guide, soft-close damper, etc.) approved by FCBA (40 000 cycles).
- > Integrated magnetic soft-close damper for smooth opening and closing, requiring no fine adjustment.
- > Patented anti-derailment roller providing smooth and secure sliding.
- > Multi-purpose mounting plate: can be installed either surface-mounted (no panel routing required, simplifying manufacturing) or recessed in line with the panel.
- > Aluminium profile compatible with brush seals and finishing gaskets.
- > Reversible top rail (smooth face or with decorative strip insert for maximum customisation).
- > Reversible cross profile (7 or 25 mm).
- > All 19 mm handles are compatible with 16 mm panels (using a clip).
- > Steel top guide ensures smooth movement during opening and closing.
- > Sloped ceiling installation possible using our dedicated sloped ceiling kit.
- > Wide range of handle profiles available.

# > SLIDING 96

## 16 mm Infill

ACCESSORIES		Packaging	Finish	Item Code
BOTTOM WHEEL		1/ 120 units	Galvanised Steel with Roller	ROU1CN
2-WHEEL KIT FOR 1 DOOR		1/ 50 units	Galvanised Steel with Roller	KITROUPRO
TOP GUIDE 16		1/ 300 units	Galvanised Steel with Roller	GUIDHAUT16
SOFT-CLOSE DAMPER KIT 16		1/ 15 units	Black	FR-96-16
SPRING BRAKE BLADE		1/ 10 units	Stainless Steel	FREIN
COATED SPRING BRAKE BLADE		1/ 10 units	Black PVC-Coated Stainless Stee	FREINENROB
FLAT SIDE GASKET		100-meter Roll	Black	JBUTNO
FLAT SIDE GASKET		100-meter Roll	Grey	JBUTGR
LONG DUST SIDE BRUSH		225-meter Roll	Grey	JB48/1050
LONG DUST SIDE BRUSH		200-meter Roll	Black	JB48/1050NO
SHORT DUST SIDE BRUSH		450-meter Roll	Grey	JB48/500
SHORT DUST SIDE BRUSH		450-meter Roll	Black	JB48/500NO
KIT OF 2 BRUSH GASKET		Pack of 2 x 5.20 m	Grey	KITJB
KIT OF 2 BRUSH GASKET		Pack of 2 x 5.20 m	Black	KITJBNO
SLOPED CEILING KIT		1 unit	Galvanised Steel with Roller	KITSOUSPENTE
TOP SINGLE TRACK PROFILE COVER		1 unit	Black Plastic	CAPOTRH50
BOTTOM SINGLE TRACK PROFILE COVER		1 unit	Black Plastic	CAPOTRH48
16-19MM SHIMS		Pack of 2 units	Black	CALE16-19MM
WARDROBE ROD SUPPORT L&R		Box of 100 L + 100 R	Grey Plastic Black Plastic	SUPTRINGLE SUPTRINGLENO
KIT WITH 2 SUPPORTS + SCREWS		Box of 50 kits	Grey Plastic Black Plastic	KITSUPTRINGLE KITSUPTRINGLENO



### DIMENSIONS

**WIDTH OF THE PANEL**  
Min: 500mm / Max: 1100mm

**HEIGHT OF THE PANEL**  
Max: 2600mm

### > Performance

Opening/Closing Cycle Tests - 40,000 cycles



Try our  
configuration tool



## Also available in ready-to-assemble KITS

### ADJUSTABLE RANGE



#### **KIT30019LBL2**

P300 Wardrobe Kit with Handle, Lacquered White, 2 Panels

#### **KIT30019LBL3**

P300 Wardrobe Kit with Handle, Lacquered White, 3 Panels

#### **KIT30019SA2**

P300 Wardrobe Kit with Handle, Satin Silver, 2 Panels

#### **KIT30019SA3**

P300 Wardrobe Kit with Handle, Satin Silver, 2 Panels

#### **KIT710LNOG2**

P710 Wardrobe Kit with Handle, Lacquered Textured Black, 2 Panels

#### **KIT710SA2**

P710 Wardrobe Kit with Handle, Satin Silver, 2 Panels

#### **KIT710LBL2**

P710 Wardrobe Kit with Handle, Lacquered White, 2 Panels

FOR 19 MM  
FILLINGS ONLY

*Kits with other handles available upon request.*


More information about our kits on page 85.

PROFILES			Packaging 5140 mm / 2550 mm	Finish <i>See page 46 for all our colours and finishes.</i>	Item Code 5140 mm	Item Code 2550 mm
TOP RAIL 96			2 / 4 bars	Anodised Silver	RH96SA	RH96SA25
				RAL 9010	RH96LBL	RH96LBL25
				RAL 9005	RH96LNOG	RH96LNOG25
P300-16 HANDLE			4 / 8 bars	Polished Bronze	RH96PB	RH96PB25
				Anodised Silver	P300-16SA	P300-16SA25
				RAL 9010	P300-16LBL	P300-16LBL25
INTERMEDIATE CROSS PROFILE 16			10 / 20 bars	RAL 9005	P300-16LNOG	P300-16LNOG25
				Polished Bronze	P300-16PB	P300-16PB25
				Anodised Silver	TI16SA	TI16SA25
BOTTOM ANGLE BRACKET			10 / 20 bars	RAL 9010	TI16LBL	TI16LBL25
				RAL 9005	TI16LNOG	TI16LNOG25
				Anodised Silver	CCLASA	CCLASA25
BOTTOM RAIL 65			4 / 8 bars	RAL 9010	CCLALBL	CCLALBL25
				RAL 9005	CCLALNOG	CCLALNOG25
				Polished Bronze	CCLAPB	CCLAPB25
BOTTOM SINGLE TRACK 48			1 / 4 bars 2 / 8 bars	Anodised Silver	RB65SA	RB65SA25
				RAL 9010	RB65LBL	RB65LBL25
				RAL 9005	RB65LNOG	RB65LNOG25
TOP SINGLE TRACK PROFILE 50			1 / 4 bars 2 / 8 bars	Polished Bronze	RB65PB	RB65PB25
				Raw	BRRH50	*
				Anodised Silver	RH50SA	RH50SA25
U25 PROFILE			1 / 2 bars	RAL 9010	RH50LBL	RH50LBL25
				RAL 9005	RH50LNOG	RH50LNOG25
				Raw	BRRB48	*
U19 PROFILE			1 / 10 bars 2 / 20 bars	Anodised Silver	RB48SA	RB48SA25
				RAL 9010	RB48LBL	RB48LBL25
				RAL 9005	RB48LNOG	RB48LNOG25
SKIRTING COMPENSATOR 82			1 / 4 bars 2 / 8 bars	RAL 9010	U25/25	U25/25-25
				Raw	BRU19	BRU1925
				Anodised Silver	U19SA	U19SA25
DOUBLE U60 PROFILE			1 / 4 bars 2 / 8 bars	RAL 9010	U19LBL	U19LBL25
				RAL 9005	U19LNOG	U19LNOG25
				Polished Bronze	U19PB	U19PB25
SCREW-ON SUSPENSION PROFILE			1 / 10 bars 2 / 20 bars	Raw	BRCOMP82	BRCOMP82-25
				Anodised Silver	COMP82SA	COMP82SA25
				RAL 9010	COMP82LBL	COMP82LBL25
CLIP-ON SUSPENSION PROFILE			1 / 10 bars 2 / 20 bars	RAL 9005	COMP82LNOG	COMP82LNOG25
				Raw	BRDU60	BRDU6025
				Anodised Silver	DU60SA	DU60SA25
CLIP-ON SUSPENSION PROFILE			1 / 10 bars 2 / 20 bars	RAL 9010	DU60LBL	DU60LBL25
				RAL 9005	DU60LNOG	DU60LNOG25
				Polished Bronze	DU60PB	DU60PB25
CLIP-ON SUSPENSION PROFILE			1 / 10 bars 2 / 20 bars	Raw	BRPDSV	BRPDSV25
				Anodised Silver	DSVISSA	DSVISSA25
				RAL 9010	DSVISLBL	DSVISLBL25
CLIP-ON SUSPENSION PROFILE			1 / 10 bars 2 / 20 bars	Raw	BRPDSC	BRPDSC25
				Anodised Silver	DSCLIPIA	DSCLIPIA25
				RAL 9010	DSCIPLBL	DSCIPLBL25

# > SLIDING 96

## 19 mm Infill

ACCESSORIES		Packaging	Finish	Item Code
BOTTOM WHEEL		1 / 120 units	Galvanised Steel with Roller	ROU1CN
2-WHEEL KIT FOR 1 DOOR		1 / 50 kits	Galvanised Steel with Roller	KITROUPRO
RECESSED BOTTOM WHEEL		1 / 100 units	Galvanised Steel with Roller	ROU2SCN
TOP GUIDE 96		1 / 300 units	Galvanised Steel with Roller	GUIDHAUT96CN
SOFT-CLOSE DAMPER KIT		1 / 15 units	Black	FR-96
FLAT SIDE GASKET		100-meter Roll	Black	JBUTNO
FLAT SIDE GASKET		100-meter Roll	Grey	JBUTGR
FLAT GASKET		100-meter Roll	Black	JTPE-48NO
FLAT GASKET		100-meter Roll	Grey	JTPE-48GR
LONG DUST SIDE BRUSH		225-meter Roll	Grey	JB48/1050
LONG DUST SIDE BRUSH		200-meter Roll	Black	JB48/1050NO
SHORT DUST SIDE BRUSH		450-meter Roll	Grey	JB48/500
SHORT DUST SIDE BRUSH		450-meter Roll	Black	JB48/500NO
KIT OF 2 SIDE BRUSH		Pack of 2 × 5.20 m	Grey	KITJB
KIT OF 2 SIDE BRUSH		Pack of 2 × 5.20 m	Black	KITJBNO
TOP SINGLE TRACK PROFILE COVER		1 unit	Black Plastic	CAPOTRH50
BOTTOM SINGLE TRACK PROFILE COVER		1 unit	Black Plastic	CAPOTRB48
SUSPENSION BRACKET WITH SCREWS		1 unit	Black Plastic	EQUERSUSPM
SLOPED CEILING KIT		1 unit	Galvanised Steel with Roller	KITSOUSPENTE
WARDROBE ROD SUPPORT L&R		Box of 100 L + 100 R	Grey Plastic	SUPTRINGLE
			Black Plastic	SUPTRINGLENO
KIT WITH 2 SUPPORTS + SCREWS		Box of 50 kits	Grey Plastic	KITSUPTRINGLE
			Black Plastic	KITSUPTRINGLENO

PROFILES			Packaging 5140mm 2550 mm	Finish <i>See page 46 for all our colours and finishes.</i>	Item Code 5140 mm	Item Code 2550 mm
TOP RAIL 96			1/2 bars 2/4 bars	Raw	BRRH96	•
				Anodised Silver	RH96SA	RH96SA25
				RAL 9010	RH96LBL	RH96LBL25
				RAL 9005	RH96LNOG	RH96LNOG25
				RAL 9003	RH96BLG	RH96BLG25
				RAL 9002	RH96L9002G	RH96L9002G25
				Brushed Stainless Steel	RH96BI	RH96BI25
TOP SINGLE TRACK PROFILE 50			1/2 bars 2/4 bars	Raw	BRRH50	•
				Anodised Silver	RH50SA	RH50SA25
				RAL 9010	RH50LBL	RH50LBL25
				RAL 9005	RH50LNOG	RH50LNOG25
P30 HANDLE			1/4 bars 2/8 bars	Raw	BRP30	•
				RAL 9003	P30BLG	P30BLG25
				RAL 9005	P30LNOG	P30LNOG25
P200 HANDLE			1/4 bars 2/8 bars	Raw	BRP200	•
				Anodised Silver	P200SA	P200SA25
				RAL 9010	P200LBL	P200LBL25
P300-19 HANDLE			1/4 bars 2/8 bars	Raw	BRP300-19	•
				Anodised Silver	P300-19SA	P300-19SA25
				RAL 9010	P300-19LBL	P300-19LBL25
				RAL 9005	P300-19LNOG	P300-19LNOG25
				RAL 9002	P300-19L9002G	P300-19L9002G25
				Polished Bronze	P300-19PB	P300-19PB25
P400 HANDLE			1/4 bars 2/8 bars	Raw	BRP400	•
				Anodised Silver	P400SA	P400SA25
				RAL 9010	P400LBL	P400LBL25
				RAL 9005	P400LNOG	P400LNOG25
P600 HANDLE			1/4 bars 2/8 bars	Raw	BRP600	•
				Anodised Silver	P600NSA	P600NSA25
				RAL 9010	P600NLBL	P600NLBL25
				RAL 9005	P600NLNOG	P600NLNOG25
				RAL 9002	P600NL9002G	P600NL9002G25
				Polished Bronze	P600NPB	P600NPB25
P700 HANDLE			1/4 bars 2/8 bars	Raw	BRP700	•
				Anodised Silver	P700SA	P700SA25
				RAL 9010	P700LBL	P700LBL25
				RAL 9005	P700LNOG	P700LNOG25
				RAL 9002	P700L9002G	P700L9002G25
				Brushed Stainless Steel	P700BI	P700BI25
P710 HANDLE			1/4 bars 2/8 bars	Raw	BRP710	•
				Anodised Silver	P710SA	P710SA25
				RAL 9010	P710LBL	P710LBL25
				RAL 9005	P710LNOG	P710LNOG25
				RAL 9002	P710L9002G	P710L9002G25
				Brushed Stainless Steel	P710BI	P710BI25
INTERMEDIATE CROSS PROFILE			1/10 bars 2/20 bars	Raw	BRTI19N	•
				Anodised Silver	TI19NSA	TI19NSA25
				RAL 9010	TI19NLBL	TI19NLBL25
				RAL 9005	TI19NLNOG	TI19NLNOG25
				RAL 9002	TI19NL9002G	TI19NL9002G25
				Polished Bronze	TI19NPB	TI19NPB25
BOTTOM ANGLE BRACKET			1/10 bars 2/20 bars	Raw	BRCCLA	•
				Anodised Silver	CCLASA	CCLASA25
				RAL 9010	CCLALBL	CCLALBL25
				RAL 9005	CCLALNOG	CCLALNOG25
				RAL 9003	CCLALBLG	CCLALBLG25
				RAL 9002	CCLAL9002G	CCLAL9002G25
BOTTOM RAIL 65			1/4 bars 2/8 bars	Raw	BRPB65	•
				Anodised Silver	RB65SA	RB65SA25
				RAL 9010	RB65LBL	RB65LBL25
				RAL 9005	RB65LNOG	RB65LNOG25
				RAL 9003	RB65BLG	RB65BLG25
				RAL 9002	RB65L9002G	RB65L9002G25
BOTTOM SINGLE TRACK PROFILE 48			1/4 bars 2/8 bars	Brushed Stainless Steel	RB65BI	RB65BI25
				Polished Bronze	RB65PB	RB65PB25
				Raw	BRRB48	•
U25 PROFILE			1/2 bars	Anodised Silver	RB48SA	RB48SA25
				RAL 9010	RB48LBL	RB48LBL25
				RAL 9005	RB48LNOG	RB48LNOG25
				RAL 9010	U25/25	U25/25-25


# > SLIDING 96 CADRALU

## WARDROBE solutions


RANGE  
**COZE**

A system allowing the integration of decorative panels or glazing (6/12 mm), featuring an aluminium frame concept (top and bottom rail profiles, and cross profiles) for a robust and stylish appearance. It ensures optimal sliding comfort thanks to the integration of rollers within the bottom cross profile.

### Multi-panel



### > Customisation and Finish



P810 - HANDLE

#### Shades and Finishes



ANODISED SILVER



BRUSHED STAINLESS STEEL



BLACK LACQUERED POWDER COATING WITH A FINE TEXTURE 9005



WHITE LACQUERED FINISH 9010



WHITE LACQUERED POWDER COATING WITH A FINE TEXTURE 9003



MULTI-RAL

## PRODUCT ADVANTAGES:

- > Top and bottom rail profiles identical to the Sliding System 96 and the Suspended Sliding Door System.
- > Product reliability equivalent to the 19 mm range (magnetic soft-close damper).
- > Smooth sliding ensured by the bottom roller integrated into the bottom cross profile.



# > SLIDING 96 CADRALU

## 6 to 12mm infill

ACCESSORIES		Packaging	Finish	Item Code
BOTTOM ROLLER		1 / 100 units	Galvanised Steel with Roller	ROUTHB52
TOP GUIDE		1 unit	Galvanised Steel with Roller	GUIDHAUTBASE0
ANTI DERAILMENT		1 unit	Galvanised Steel	ANTIDERAIL1
SOFT CLOSE DAMPER		1 unit	Black	FRBASE0
FLAT SIDE GASKET		100-meter Roll	Black	JBUTNO
FLAT SIDE GASKET		100-meter Roll	Grey	JBUTGR
GLAZING GASKET 6-8 MM		2.5-metre Bar	Translucent	PVITRAGE
GLAZING GASKET 6-8 MM		2.5-metre Bar	Black	PVITRAGEN0
GLAZING GASKET 10-12 MM		2.5-metre Bar	Translucent	PVITRAGE12
WARDROBE ROD SUPPORT L&R		Box of 100 L + 100 R	Grey Plastic	SUPTRINGLE
			Black Plastic	SUPTRINGLENO
KIT WITH 2 SUPPORTS + SCREWS		Box of 50 kits	Grey Plastic	KITSUPTRINGLE
			Black Plastic	KITSUPTRINGLENO

### DIMENSIONS

#### DOOR WIDTH


Minimum: 500mm / Maximum: 1100mm






#### DOOR HEIGHT

Maximum : 2600mm



Try our  
configuration tool



PROFILES			Packaging 5140 mm 2550 mm	Finish <i>See page 52 for all our colours and finishes.</i>	Item Code 5140 mm	Item Code 2550 mm
TOP RAIL 96			1/2 bars 2/4 bars	Raw	BRRH96	•
				Anodised Silver	RH96SA	RH96SA25
				RAL 9010	RH96LBL	RH96LBL25
				RAL 9005	RH96LNOG	RH96LNOG25
				RAL 9003	RH96LBLG	RH96LBLG25
TOP SINGLE TRACK PROFILE 50			1/2 bars 2/4 bars	Brushed Stainless Steel	RH96BI	RH96BI25
				Raw	BRRH50	•
				Anodised Silver	RH50SA	RH50SA25
				RAL 9010	RH50LBL	RH50LBL25
				RAL 9005	RH50LNOG	RH50LNOG25
P810 HANDLE			1/2 bars 2/4 bars	Raw	BRP810	•
				Anodised Silver	P810SA	P810SA25
				RAL 9010	P810LBL	P810LBL25
				RAL 9005	P810LNOG	P810LNOG25
				RAL 9003	P810BLG	P810BLG25
CROSS PROFILE 28			1/5 bars 2/10 bars	Brushed Stainless Steel	P810BI	P810BI25
				Raw	BRTI28	•
				Anodised Silver	TI28SA	TI28SA25
				RAL 9010	TI28LBL	TI28LBL25
				RAL 9005	TI28LNOG	TI28LNOG25
CROSS PROFILE 37			1/4 bars 2/8 bars	RAL 9003	TI28BLG	TI28BLG25
				Brushed Stainless Steel	TI28BI	TI28BI25
				Raw	BRTI97	•
				RAL 9005	TI37LNOG	TI37LNOG25
				RAL 9003	TI37BLG	TI37BLG25
BOTTOM CROSS PROFILE 52			1/2 bars 2/4 bars	Raw	BRTHB52	•
				Anodised Silver	THB52SA	THB52SA25
				RAL 9010	THB52LBL	THB52LBL25
				RAL 9005	THB52LNOG	THB52LNOG25
				RAL 9003	THB52BLG	THB52BLG25
BOTTOM RAIL 65			1/4 bars 2/8 bars	Brushed Stainless Steel	THB52BI	THB52BI25
				Raw	BRRB65	•
				Anodised Silver	RB65SA	RB65SA25
				RAL 9010	RB65LBL	RB65LBL25
				RAL 9005	RB65LNOG	RB65LNOG25
BOTTOM SINGLE TRACK PROFILE 48			1/4 bars 2/8 bars	RAL 9003	RB65BLG	RB65BLG25
				Brushed Stainless Steel	RB65BI	RB65BI25
				Raw	BRRB48	•
				Anodised Silver	RB48SA	RB48SA25
				RAL 9010	RB48LBL	RB48LBL25
SKIRTING COMPENSATOR 82			1/4 bars 2/8 bars	RAL 9005	RB48LNOG	RB48LNOG25
				Raw	BRCOMP82	BRCOMP82-25
				Anodised Silver	COMP82SA	COMP82SA25
				RAL 9010	COMP82LBL	COMP82LBL25
				RAL 9005	COMP82LNOG	COMP82LNOG25
U19 PROFIL			1/10 bars 2/20 bars	Raw	BRU19	BRU1925
				Anodised Silver	U19SA	U19SA25
				RAL 9010	U19LBL	U19LBL25
				RAL 9005	U19LNOG	U19LNOG25
				Brushed Stainless Steel	U19BI	U19BI25
DOUBLE U60 PROFILE			1/4 bars 2/8 bars	Raw	BRDU60	BRDU6025
				Anodised Silver	DU60SA	DU60SA25
				RAL 9010	DU60LBL	DU60LBL25
				RAL 9005	DU60LNOG	DU60LNOG25
				Brushed Stainless Steel	DU60BI	DU60BI25
SCREW-ON SUSPENSION PROFILE			1/10 bars 2/20 bars	Raw	BRPDSV	BRPDSV25
				Anodised Silver	DSVISSA	DSVISSA25
				RAL 9010	DSVISLBL	DSVISLBL25
CLIP-ON SUSPENSION PROFILE			1/10 bars 2/20 bars	Raw	BRPDSC	BRPDSC25
				Anodised Silver	DSCLIPSA	DSCLIPSA25
				RAL 9010	DSCLIPLBL	DSCLIPLBL25
WARDROBE ROD PROFILE			1/5 bars 2/10 bars	Anodised Silver	PENDERIESA	PENDERIESA25
				RAL 9005	PENDERIELNOG	PENDERIELNOG25


# > PIVOTING DOOR

## WARDROBE Solutions


RANGE  
**COZE**

A sleek and modern swing wardrobe door system offering maximum opening, ideal for narrow spaces. Designed for optimal manufacturability, the pivot plate is fixed directly to the panel, eliminating the need for machining or routing.

### Single door



### Multiple doors



## PRODUCT ADVANTAGES:

- > Ease of manufacturing: Pivot plate fixed without routing the panel.
- > Compact range with a reversible handle profile (handle/upright - P750).
- > Minimalist aesthetics: Option to use a simple pivot pin at the top and bottom for the pivot function (no top or bottom rails required).



### Shades and Finishes



WHITE-GREY  
LACQUERED  
POWDER COATING  
WITH A FINE  
TEXTURE 9002



BLACK  
LACQUERED  
POWDER  
COATING WITH  
A FINE TEXTURE  
9005



ANODISED  
SILVER




MULTI-RAL



# > PIVOTING DOOR

## 19 mm infill

ACCESSORIES		Packaging	Finish	Item Code
COMPLETE 19 MM TOP AND BOTTOM PIVOT SET		1 unit	Black Galvanized Steel	KITPIV2
LONG DUST SIDE BRUSH		225-meter Roll	Grey	JB48/1050
LONG DUST SIDE BRUSH		200-meter Roll	Black	JB48/1050NO
SHORT DUST SIDE BRUSH		450-meter Roll	Grey	JB48/500
SHORT DUST SIDE BRUSH		450-meter Roll	Black	JB48/500NO
KIT OF 2 SIDE BRUSHES		Pack of 2 x 5.20 m	Grey	KITJB
KIT OF 2 SIDE BRUSHES		Pack of 2 x 5.20 m	Black	KITJBNO
WARDROBE ROD SUPPORT L&R		Box of 100 L + 100 R	Grey Plastic	SUPTRINGLE
			Black Plastic	SUPTRINGLENO
KIT WITH 2 SUPPORTS + SCREWS		Box of 50 kits	Grey Plastic	KITSUPTRINGLE
			Black Plastic	KITSUPTRINGLENO



### DOOR DIMENSIONS


**WIDTH**  
Minimum 250 mm to 700 mm

**HEIGHT**  
Maximum 2600 mm



Try our  
configuration tool



PROFILES			Packaging 5140 mm 2550 mm	Finish <i>See page 57 for all our colours and finishes.</i>	Item Code 5140 mm	Item Code 2550 mm
P750 HANDLE			1/4 bars 2/8 bars	Anodised Silver	P750SA	P750SA25
				RAL 9002	P750L9002G	P750L9002G25
				RAL 9005	P750LNOG	P750LNOG25
CORNER BRACKET			1/10 bars 2/20 bars	Anodised Silver	CCLASA	CCLASA25
				RAL 9002	CCLAL9002G	CCLAL9002G25
				RAL 9005	CCLALNOG	CCLALNOG25
TOP AND BOTTOM RAIL			1/4 bars 2/8 bars	Anodised Silver	RPIVSA	RPIVSA25
				RAL 9002	RPIVL9002G	RPIVL9002G25
				RAL 9005	RPIVLNOG	RPIVLNOG25
SKIRTING COMPENSATOR 82			1/4 bars 2/8 bars	Anodised Silver	COMP82SA	COMP82SA25
				RAL 9005	COMP82LNOG	COMP82LNOG25
U19 PROFILE			1/10 bars 2/20 bars	Anodised Silver	U19SA	U19SA25
				RAL 9002	U19LNOG	U19LNOG25
				RAL 9005	U19L9002G	U19L9002G25
DOUBLE U60 PROFILE			1/4 bars 2/8 bars	Anodised Silver	DU60SA	DU60SA25
				RAL 9002	DU60LNOG	DU60LNOG25
				RAL 9005	DU60L9002G	DU60L9002G25
SCREW-ON HANGING FILE RAIL			1/10 bars 2/20 bars	Anodised Silver	DSVISSA	DSVISSA25
CLIP-ON HANGING FILE RAIL			1/10 bars 2/20 bars	Anodised Silver	DSCLIPIA	DSCLIPIA25
WARDROBE ROD PROFILE			1/5 bars 2/10 bars	Anodised Silver	PENDERIESA	PENDERIESA25
				RAL 9005	PENDERIELNOG	PENDERIELNOG25


## > CADRALU PIVOTING DOOR

# WARDROBE Solutions


RANGE  
**COZE**

A system that combines elegance and refinement, featuring an aluminium frame capable of supporting both heavier infills (full-height glazing) and lighter, decorative panels without compromising on durability. An aesthetic solution that meets both design and functional requirements.

### Single door




### 2 doors and more




## PRODUCT ADVANTAGES:

- > Solution for full-height glass doors.
- > Pivoting door with aluminium frame, compatible with 6 mm or 12 mm panels.
- > Sleek aesthetic with options such as smoked glass.
- > Pivot system ensures smooth, elegant operation with no visible hinges offering a clean, modern look.



### > Customisation and finish

- Compatible with 6 mm or 12 mm infill panels
- Suitable for glazing or decorative panel inserts
- Optional integration of a transom bar



### Shades and finishes



WHITE LACQUERED FINISH 9010



BLACK LACQUERED POWDER COATING WITH A FINE TEXTURE 9005



ANODISED SILVER




BRUSHED STAINLESS STEEL




MULTI-RAL

### ▪ Handle profile





**P820 - HANDLE PROFILE**  
6-12 MM PANELS



# > CADRALU PIVOTING DOOR

## 6 - 12 mm Infill

ACCESSORIES		Packaging	Finish	Item Code
PIVOTING DOOR KIT: TOP AND BOTTOM INSERTS TOP AND BOTTOM AXLES STOP MAGNET SCREWS		Pack of 1	Black zinc-plated steel	KITPIV
PULL HANDLE + SCREWS		Pack of 1	Anodised Silver RAL 9010 Black Anodised Brushed Stainless Steel	PTIRSA PTIRLBL PTIRLNO PTIRBI
4.5X25 SCREWS - TOP SIDE CROSS PROFILE INSERT FIXING 4.5X50 SCREWS - CROSS PROFILE FIXING		Box of 1000	Zinc	VIS4,5X25
		Box of 400	Zinc	VIS4,5X50
RIGHT-HAND DAMPER BRAKE		1 unit	Black	FRPIVD
LEFT-HAND DAMPER BRAKE		1 unit	Black	FRPIVG
FLAT SIDE GASKET		100-meter Roll	Black	JBUTNO
FLAT SIDE GASKET		100-meter Roll	Grey	JBUTGR
GLAZING GASKET 6-8 MM		2.5-metre Bar	Translucent	PVITRAGE
GLAZING GASKET 6-8 MM		2.5-metre Bar	Black	PVITRAGENO
GLAZING GASKET 10-12 MM		2.5-metre Bar	Translucent	PVITRAGE12
WARDROBE ROD SUPPORT L&R		Box of 100 L + 100 R	Grey Plastic	SUPTRINGLE
			Black Plastic	SUPTRINGLENO
KIT WITH 2 SUPPORTS + SCREWS		Box of 50 kits	Grey Plastic	KITSUPTRINGLE
			Black Plastic	KITSUPTRINGLENO

PROFILES			Packaging 5140 mm 2550 mm	Finish <i>See page 61 for all our colours and finishes.</i>	Item Code 5140 mm	Item Code 2550 mm
P820 HANDLE			1/2 bars 2/4 bars	Anodised Silver	PPIV12SA	PPIV12SA25
				RAL 9010	PPIV12LBL	PPIV12LBL25
				RAL 9005	P820LNOG	P820LNOG25
				Brushed Stainless Steel	PPIV12BI	PPIV12BI25
CROSS PROFILE 28			1/5 bars 2/10 bars	Anodised Silver	TI28SA	TI28SA25
				RAL 9010	TI28LBL	TI28LBL25
				RAL 9005	TI28LNOG	TI28LNOG25
				Brushed Stainless Steel	TI28BI	TI28BI25
CROSS PROFILE 37			1/4 bars 2/8 bars	RAL 9005	TI37LNOG	TI37LNOG25
CROSS PROFILE 52 TOP AND BOTTOM			1/2 bars 2/4 bars	Anodised Silver	THB52SA	THB52SA25
				RAL 9010	THB52LBL	THB52LBL25
				RAL 9005	THB52LNOG	THB52LNOG25
				Brushed Stainless Steel	THB52BI	THB52BI25
TOP AND BOTTOM RAIL			1/2 bars 2/4 bars	Anodised Silver	RPIVSA	RPIVSA25
				RAL 9010	RPIVLBL	RPIVLBL25
				RAL 9005	RPIVLNOG	RPIVLNOG25
				Brushed Stainless Steel	RPIVBI	RPIVBI25
SKIRTING COMPENSATOR 82			1/2 bars 2/4 bars	Anodised Silver	COMP82SA	COMP82SA25
				RAL 9010	COMP82LBL	COMP82LBL25
				RAL 9005	COMP82LNOG	COMP82LNOG25
U19 PROFILE			1/10 bars 2/20 bars	Anodised Silver	U19SA	U19SA25
				RAL 9010	U19LBL	U19LBL25
				RAL 9005	U19LNOG	U19LNOG25
				Brushed Stainless Steel	U19BI	U19BI25
DOUBLE U60 PROFILE			1/4 bars 2/8 bars	Anodised Silver	DU60SA	DU60SA25
				RAL 9010	DU60LBL	DU60LBL25
				RAL 9005	DU60LNOG	DU60LNOG25
				Brushed Stainless Steel	DU60BI	DU60BI25
SCREW-ON HANGING FILE RAIL			1/10 bars 2/20 bars	Anodised Silver	DSVISSA	DSVISSA25
				RAL 9010	DSVLSLBL	DSVLSLBL25
CLIP-ON HANGING FILE RAIL			1/10 bars 2/20 bars	Anodised Silver	DSCLIPSA	DSCLIPSA25
				RAL 9010	DSCLIPLBL	DSCLIPLBL25
WARDROBE ROD PROFILE			1/5 bars 2/10 bars	Anodised Silver	PENDERIESA	PENDERIESA25
				RAL 9005	PENDERIELNOG	PENDERIELNOG25



Try our  
configuration tool

# > CADRALU SWING DOOR

## WARDROBE Solutions | RANGE COZE

Comprising a single aluminium profile, this solution stands out for its minimalist design. The system is engineered to streamline both manufacturing and installation, without compromising on aesthetics or elegance.

It features 45° mitre-cut finishes with an alignment bracket system to facilitate assembly. This solution enables the creation of glazed doors that combine refined elegance with robust durability.

### > Customisation and finish

- 4mm infill
- Compatible with glass, PMMA, and other infill materials
- Free choice of handle
- Solution compatible with push-and-pull systems

### Shades and finishes



ANODISED  
SILVER



BLACK  
LACQUERED  
POWDER  
COATING WITH  
A FINE TEXTURE  
9005



MULTI-RAL






## PRODUCT ADVANTAGES:

- > Simple and efficient system, thanks to its single-profile design.
- > Simplified assembly: 45° mitre cut with alignment bracket system.
- > Sleek design and high adaptability.
- > Compatible with push-and-pull systems.
- > The Cadralu system accommodates slim infill panels (4mm).
- > Bracket fixing holes made easier with the drilling template.
- > Clean-finish gasket included.







# > CADRALU SWING DOOR

ACCESSORIES		Packaging	Finish	Item Code
ALIGNMENT BRACKET		1 unit	Stainless Steel	EQUER65X65
4MM GLAZING PROFILE		2.5-meter Roll	Black	PVITRAGE4NO
			Grey	PVITRAGE4GR
FINISHING GASKET		250-meter Roll	Black	JAPV-55NO
			Translucent	JAPV-55
SELF-ADHESIVE SCREW COVER		Sheet of 20	Black	CACHEVISD13NO
			Silver	CACHEVISD13SA
WARDROBE ROD SUPPORT L&R		Box of 100 L + 100 R	Grey Plastic	SUPTRINGLE
			Black Plastic	SUPTRINGLENO
KIT WITH 2 SUPPORTS + SCREWS		Box of 50 kits	Grey Plastic	KITSUPTRINGLE
			Black Plastic	KITSUPTRINGLENO



## DIMENSIONS


**WIDTH**  
Maximum: 600 mm  
**HEIGHT**  
Maximum: 2500 mm

PROFILS			Packaging 5140 mm 2550 mm	Finish <i>See page 64 for all our colours and finishes.</i>	Item Code 5140 mm	Item Code 2550 mm
CADRALU 45 PROFILE			1 / 2 bars 2 / 4 bars	Raw	BRPCA45	BRPCA45-25
				Anodised Silver	PCA45SA	PCA45SA25
				RAL 9005	PCA45LNOG	PCA45LNOG25
MACHINED CADRALU 45 PROFILE			2 / 4 bars	Anodisé argent	-	PCA45SA25U
				RAL 9005	-	PCA45LNOG25U
SKIRTING COMPENSATOR 82			1 / 4 bars 2 / 8 bars	Raw	BRCOMP82	BRCOMP82-25
				Anodised Silver	COMP82SA	COMP82SA25
				RAL 9005	COMP82LNOG	COMP82LNOG25
U19 PROFILE			1 / 10 bars 2 / 20 bars	Raw	BRU19	BRU1925
				Anodised Silver	U19SA	U19SA25
				RAL 9005	U19LNOG	U19LNOG25
DOUBLE U60 PROFILE			1 / 4 bars 2 / 8 bars	Raw	BRDU60	BRDU6025
				Anodised Silver	DU60SA	DU60SA25
				RAL 9005	DU60LNOG	DU60LNOG25
SCREW-ON HANGING FILE RAIL			1 / 10 bars 2 / 20 bars	Raw	BRPDSV	BRPDSV25
				Anodised Silver	DSVISSA	DSVISSA25
CLIP-ON HANGING FILE RAIL			1 / 10 bars 2 / 20 bars	Raw	BRPDSC	BRPDSC25
				Anodised Silver	DSCLISSA	DSCLISSA25
WARDROBE ROD PROFILE			1 / 5 bars 2 / 10 bars	Anodised Silver	PENDERIESA	PENDERIESA25
				RAL 9005	PENDRIELNOG	PENDRIELNOG25

# WALK-IN WARDROBE Solutions




A simple system (a single profile) offering maximum modularity for creating bespoke, one-of-a-kind wardrobes. Its elegance and clean lines make this solution the perfect answer to the threefold challenge of practicality, aesthetics, and the specific requirements of wardrobe design projects.



## > Customisation and finish

- Integration of units, shelves, drawers, and wardrobe rails
- Supports up to 30 kg per shelf, with widths up to 950 mm and depths up to 500 mm
- Straight or mitre cuts available for easy assembly
- Accessory components finished in Zamak, matching the aluminium
- Shelf bracket plate – four possible shelf configurations
- Oval wardrobe rail profile with gasket and grooves for LED strips and trims


## Shades and Finishes



WHITE  
LACQUERED  
POWDER  
COATING WITH  
A FINE TEXTURE  
9003



BLACK  
LACQUERED  
POWDER  
COATING WITH  
A FINE TEXTURE  
9005



## PRODUCT ADVANTAGES:

- > Maximum modularity with a system built around a single profile
- > High-quality accessories for an enhanced perceived quality
- > Adjustable shelf support plate
- > Optional LED integration within the profile
- > Simple manufacturing: straight or mitre cuts, with bracket-based assembly
- > Adjustable feet for easy levelling during installation

ACCESSORIES		Packaging	Finish	Item Code
100 X 100 FIXING BRACKET		Pack of 10	Black Stainless Steel	EQUER100X100
SHELF SUPPORT KIT		Pack of 2	RAL 9005	KITSELEEFTLNOG
			RAL 9003	KITSELEEFTLBLG
WARDROBE ROD PROFILE SUPPORT KIT		Pack of 2	RAL 9005	KITSTLEEFTLNOG
			RAL 9003	KITSTLEEFTLBLG
FIXING PARTS KIT		Pack of 2	RAL 9005	KITPFLEEFTLNOG
			RAL 9003	KITPFLEEFTLBLG
ADJUSTABLE FOOT		Pack of 1	Black	PRLEEFTNOM
			White	PRLEEFTLBLM
DRAWER UNIT ASSEMBLY KIT		Pack of 2	Stainless Steel	KITBLOCTIR

## Available as ready-to-assemble KITS

**KITLLEEF10LNOG** : LEEFT Shelf Base Kit (2 uprights 2500 mm + 4 shelf support kits) black lacquered finish

**KITLLEEF10LBLG** : LEEFT Shelf Base Kit (2 uprights 2500 mm + 4 shelf support kits) white lacquered finish

**KITLLEEF20LNOG** : LEEFT Rail Base Kit (2 uprights 2500 mm + 1 rail kit 1000 mm + 1 shelf support kit) black lacquered finish

**KITLLEEF20LBLG** : LEEFT Rail Base Kit (2 uprights 2500 mm + 1 rail kit 1000 mm + 1 shelf support kit) white lacquered finish

**KITLLEEF11LNOG** : LEEFT Shelf Extension Kit (1 upright 2500 mm + 4 shelf support kits) black lacquered finish


**KITLLEEF11LBLG** : LEEFT Shelf Extension Kit (1 upright 2500 mm + 4 shelf support kits) white lacquered finish

**KITLLEEF21LNOG** : LEEFT Rail Extension Kit (1 upright 2500 mm + 1 shelf support kit + 1 rail kit 1000 mm) black lacquered finish

**KITLLEEF21LBLG** : LEEFT Rail Extension Kit (1 upright 2500 mm + 1 shelf support kit + 1 rail kit 1000 mm) white lacquered finish

**KITLLEEF22LBLG** : LEEFT Rail Kit (1 rail kit 1000 mm) white lacquered finish

**KITLLEEF22LNOG** : LEEFT Rail Kit (1 rail kit 1000 mm) black lacquered finish





PROFILES		Packaging 5140 mm mm 2550 mm	Finish <i>See page 68 for all our colours and finishes.</i>	Item Code 5140 mm	Item Code 2550 mm
LEEFT 60 PROFILE		1/2 bars 2/4 bars	RAL 9005	PLEEFT60LNOG	PLEEFT60LNOG25
			RAL 9003	PLEEFT60LBL9003G	PLEEFT60LBL9003G25
23 MM FINISHING STRIP		1/8 bars 2/16 bars	RAL 9005	PF23LNO9005G	PF23LNO9005G25
			RAL 9003	PF23LBL9003G	PF23LBL9003G25
WARDROBE ROD PROFILE		1/5 bars 2/10 bars	RAL 9005	PENDERIELNOG	PENDERIELNOG25
			Anodised Silver	PENDERIESA	PENDERIESA25

## Assembly



Try our  
configuration tool





A photograph of a modern interior space. On the left, there is a tall, dark grey shelving unit with several light-colored wooden shelves. The shelves hold various decorative items, including a white bowl, a book titled 'CEREAL', and two white candle holders. In the background, a window is covered with light-colored, textured curtains. The floor is made of light-colored wood in a herringbone pattern. The overall aesthetic is minimalist and contemporary.

## FURNISHING & SPACE DESIGN

- AIRGO RANGE
- LEEFT RANGE

P 74-77

P 78-81

# > MODULAR & DISPLAY FURNITURE

## MODULAR & DISPLAY FURNITURE Solutions

RANGE  
**AIRGO**

Comprising five profiles, AIRGO is a modular range that offers a multitude of configurations. A simple system requiring no special tools for assembly, just a standard saw with an aluminium-cutting blade to adjust profiles to the desired length. The connectors allow for quick, robust, and intuitive assembly. Ideal for creating wall-mounted shelving or lightweight, designer freestanding furniture.

### > Customisation and finish

- With 18 mm or 19 mm wooden shelves (recessed), and shelves over 19 mm in thickness (surface-mounted)
- With 6 mm glass shelves – toughened or laminated glazing (33.2)
- Accessory components finished in Zamak, matching the aluminium
- Connectors available in 2-way, 3-way, flat 3-way, 4-way, and 5-way configurations
- Slimline profiles (21 x 21 mm) for a sleek and minimalist appearance
- For a shelf measuring 1000 mm wide and 300 mm deep: maximum wall-mounted load is 15 kg
- Adjustable foot accessory available for added stability of freestanding units



### Shades and finishes



BLACK LACQUERED  
POWDER COATING  
WITH A FINE TEXTURE  
9005





## PRODUCT ADVANTAGES:

- > Maximum modularity with a single system composed of 5 profiles
- > Simplicity of fabrication: straight cuts and plug-and-play assembly thanks to its patented assembly system
- > Zero machining required (except for wall mounting); only straight cuts needed
- > Geometric and lightweight configurations, with limitless possibilities, thanks to its 2, 3, 4 and 5-way connectors

# > MODULAR & DISPLAY FURNITURE

ACCESSORIES		Packaging	Finish	Item Code
2-WAY CONNECTOR		1/150 units	RAL 9005	CON2VLNOGN
3-WAY CONNECTOR		1/100 units	RAL 9005	CON3VLNOGN
FLAT 3-WAY CONNECTOR		1/120 units	RAL 9005	CON3VPLNOGN
4-WAY LATERAL CONNECTOR		1/80 units	RAL 9005	CON4VLNOGN
5-WAY CONNECTOR		1/56 units	RAL 9005	CON5VLNOGN
JUNCTION PIECE		1/200 units	Black	PJAIRGON
4.8 X 38 SELF-DRILLING SCREW		1/Box of 500	Stainless Steel	VIS4.8*38AF
BLACK Ø 10 STOPPER		1/100 units	Black Plastic	CACHEVISD10
ADJUSTABLE FOOT - AIRGO RANGE		1 unit	Black Plastic	PIED20X20M
6MM GLASS GASKET		1/100-meter Roll	Black	JTPE-48NO

PROFILES		Packaging 5140 mm 2550 mm	Finish <i>See page 74 or all our colours and finishes.</i>	Item Code 5140 mm	Item Code 2550 mm
20X20 SQUARE PROFILE		1/4 bars 2/8 bars	RAL 9005	P20X20LNOG	P20X20LNOG25
SQUARE PROFILE PANEL SUP- PORT 19MM		1/4 bars 2/8 bars	RAL 9005	PPAN20X20LNOG	PPAN20X20LNOG25
SQUARE PROFILE GLASS SUP- PORT (6MM)		1/4 bars 2/8 bars	RAL 9005	PV20X20LNOG	PV20X20LNOG25
SQUARE PROFILE WITH 1 FLANGE COVER		1/4 bars 2/8 bars	RAL 9005	PPAN1-20X20LNOG	PPAN1-20X20LNOG25
SQUARE PROFILE WITH 2 FLANGES COVER		1/4 bars 2/8 bars	RAL 9005	PPAN2-20X20LNOG	PPAN2-20X20LNOG25





Try our  
configuration tool




## Also available as ready-to-assemble KITS

RESIZABLE RANGE


## Assembly




**KITAIRGO10** Airgo Shelf Base Kit




**KITAIRGO11** Airgo Shelf Vertical Extension Kit



**KITAIRGO12** Airgo Shelf Horizontal Extension Kit



**KITAIRGO20** Airgo shelf Base Kit



**KITAIRGO21** Airgo shelf Extension Kit

More information about our kits on page 86

# > MODULAR & DISPLAY FURNITURE

## MODULAR & DISPLAY FURNITURE Solutions

RANGE  
**LEEFT**

The LEEFT system makes it possible to create a display environment where elegance and natural materials deliver the desired touch of sophistication, enhancing the appeal of the products on show. It is the ideal solution for premium retail spaces, where the art of showcasing products depends on the refinement of the display structure. The LEEFT system is also a minimalist solution for creating elegant, high-end shelving furniture.

### > Customisation and finish

- Integration of cabinet, shelf, drawer, wardrobe rail, etc.
- Weight capacity of up to 30 kg per shelf, 950 mm wide by 500 mm deep
- Straight or mitre cut for ease of assembly
- Accessory components finished in Zamak, matching the aluminium
- Plates on shelf supports - 4 possible variations of the shelf
- Oval wardrobe rod profile + gasket + grooves for LED strips and trim

### Shades and finishes



WHITE  
LACQUERED  
POWDER  
COATING WITH  
A FINE TEXTURE  
9003



BLACK  
LACQUERED  
POWDER  
COATING WITH  
A FINE TEXTURE  
9005





## PRODUCT ADVANTAGES:

- > Maximum modularity with a single system composed of one profile
- > Simplicity of fabrication: straight cuts and assembly with brackets
- > Adjustable feet to ensure optimal installation
- > Adjustable shelf support plates

# > MODULAR & DISPLAY FURNITURE

ACCESSORIES		Packaging	Finish	Item Code
FIXING BRACKET 100 X 100		Pack of 10	Black Steel	EQUER100X100
SHELF SUPPORT KIT		Pack of 2	RAL 9005	KITSELEEFTLNOG
			RAL 9003	KITSELEEFTLBLG
WARDROBE ROD SUPPORT KIT		Pack of 2	RAL 9005	KITSTLEEFTLNOG
			RAL 9003	KITSTLEEFTLBLG
FIXING PARTS KIT		Pack of 2	RAL 9005	KITPFLEEFTRNOG
			RAL 9003	KITPFLEEFTRBLG
ADJUSTABLE FOOT		Pack of 1	Black	PRLEEFTRNOM
			White	PRLEEFTRBLM
DRAWER UNIT ASSEMBLY KIT		Pack of 2	Steel	KITBLOCTIR
STOPPER GASKET		100-meter Roll	Black	JBUTNO
STOPPER GASKET		100-meter Roll	Grey	JBUTGR

## Also available in ready-to-assemble KITS

### ADJUSTABLE PRODUCT RANGE

**KITLLEFT10LNOG** : LEEFT shelf base kit (2 uprights 2500 mm + 4 shelf support kits) black lacquered finish

**KITLLEFT10LBLG** : LEEFT shelf base kit (2 uprights 2500 mm + 4 shelf support kits) white lacquered finish

**KITLLEFT20LNOG** : LEEFT rod base kit (2 uprights 2500 mm + 1 rail kit 1000 mm + 1 shelf support kit) black lacquered finish

**KITLLEFT20LBLG** : LEEFT rod base kit (2 uprights 2500 mm + 1 rail kit 1000 mm + 1 shelf support kit) white lacquered finish

**KITLLEFT11LNOG** : LEEFT shelf extension kit (1 upright 2500 mm + 4 shelf support kits) black lacquered finish


**KITLLEFT11LBLG** : LEEFT shelf extension kit (1 upright 2500 mm + 4 shelf support kits) white lacquered finish

**KITLLEFT21LNOG** : LEEFT rod extension Kit (1 upright 2500 mm + 1 shelf support kit + 1 rail kit 1000 mm) black lacquered finish

**KITLLEFT21LBLG** : LEEFT rod extension kit (1 upright 2500 mm + 1 shelf support kit + 1 rail kit 1000 mm) white lacquered finish

**KITLLEFT22LBLG** : LEEFT rod kit (1 rod kit 1000 mm) white lacquered finish


**KITLLEFT22LNOG** : LEEFT rod kit (1 rod kit 1000 mm) black lacquered finish




More information about our kits on page 87.

PROFILES		Packaging 5140 mm 2550 mm	Finish <i>See page 78 for all our colours and finishes.</i>	Item Code 5140 mm	Item Code 2550 mm
LEEFT 60 PROFILE		1/2 bars 2/4 bars	RAL 9005	PLEEFT60LNOG	PLEEFT60LNOG25
			RAL 9003	PLEEFT60LBL9003G	PLEEFT60LBL9003G25
23 MM FINISHING STRIP		1/8 bars 2/16 bars	RAL 9005	PF23LNO9005G	PF23LNO9005G25
			RAL 9003	PF23LBL9003G	PF23LBL9003G25
WARDROBE ROD PROFILE		1/5 bars 2/10 bars	RAL 9005	PENDERIELNOG	PENDERIELNOG25
			Anodised Silver	PENDERIESA	PENDERIESA25

## Assembly








## Exploded View






Try our  
configuration tool

# THE CLASSICS

## STANDARD PROFILES

PROFILES			Packaging 2000mm 3000mm 6000mm	Finish	Item Code 2000mm	Item Code 3000 mm	Item Code 6000 mm
EQUAL CORNER BRACKET PROFILE 20 X 20 X 1.3 MM			30 bars 20 bars 10 bars	Raw	BRPSL2020-20	BRPSL2020-30	BRPSL2020-60
				Anodised Silver	PSL2020SA20	PSL2020SA30	PSL2020SA60
				RAL 9010	PSL2020LBL20	PSL2020LBL30	PSL2020LBL60
				RAL 9005	PSL2020LNO20	PSL2020LNO30	PSL2020LNO60
				RAL 7016	PSL2020LGRG20	PSL2020LGRG30	PSL2020LGRG60
EQUAL CORNER BRACKET PROFILE 25 X 25 X 1.3 MM			30 bars 20 bars 10 bars	Raw	BRPSL2525-20	BRPSL2525-30	BRPSL2525-60
				Anodised Silver	PSL2525SA20	PSL2525SA30	PSL2525SA60
				RAL 9010	PSL2525LBL20	PSL2525LBL30	PSL2525LBL60
				RAL 9005	PSL2525LNO20	PSL2525LNO30	PSL2525LNO60
				RAL 7016	PSL2525LGRG20	PSL2525LGRG30	PSL2525LGRG60
EQUAL CORNER BRACKET PROFILE 30 X 30 X 1.3 MM			24 bars 16 bars 8 bars	Raw	BRPSL3030-20	BRPSL3030-30	BRPSL3030-60
				Anodised Silver	PSL3030SA20	PSL3030SA30	PSL3030SA60
				RAL 9010	PSL3030LBL20	PSL3030LBL30	PSL3030LBL60
				RAL 9005	PSL3030LNO20	PSL3030LNO30	PSL3030LNO60
				RAL 7016	PSL3030LGRG20	PSL3030LGRG30	PSL3030LGRG60
EQUAL CORNER BRACKET PROFILE 40 X 40 X 1.3 MM			18 bars 12 bars 6 bars	Raw	BRPSL4040-20	BRPSL4040-30	BRPSL4040-60
				Anodised Silver	PSL4040SA20	PSL4040SA30	PSL4040SA60
				RAL 9010	PSL4040LBL20	PSL4040LBL30	PSL4040LBL60
				RAL 9005	PSL4040LNO20	PSL4040LNO30	PSL4040LNO60
				RAL 7016	PSL4040LGRG20	PSL4040LGRG30	PSL4040LGRG60
EQUAL CORNER BRACKET PROFILE 50 X 50 X 1.5 MM			12 bars 8 bars 4 bars	Raw	BRPSL5050-20	BRPSL5050-30	BRPSL5050-60
				Anodised Silver	PSL5050SA20	PSL5050SA30	PSL5050SA60
				RAL 9010	PSL5050LBL20	PSL5050LBL30	PSL5050LBL60
				RAL 9005	PSL5050LNO20	PSL5050LNO30	PSL5050LNO60
				RAL 7016	PSL5050LGRG20	PSL5050LGRG30	PSL5050LGRG60
EQUAL CORNER BRACKET PROFILE 60 X 60 X 1.5 MM			12 bars 8 bars 4 bars	Raw	BRPSL6060-20	BRPSL6060-30	BRPSL6060-60
				Anodised Silver	PSL6060SA20	PSL6060SA30	PSL6060SA60
				RAL 9010	PSL6060LBL20	PSL6060LBL30	PSL6060LBL60
				RAL 9005	PSL6060LNO20	PSL6060LNO30	PSL6060LNO60
				RAL 7016	PSL6060LGRG20	PSL6060LGRG30	PSL6060LGRG60
UNEQUAL CORNER BRACKET PROFILE 20 X 10 X 1.3 MM			30 bars 20 bars 10 bars	Raw	BRPSL2010-20	BRPSL2010-30	BRPSL2010-60
				Anodised Silver	PSL2010SA20	PSL2010SA30	PSL2010SA60
				RAL 9010	PSL2010LBL20	PSL2010LBL30	PSL2010LBL60
				RAL 9005	PSL2010LNO20	PSL2010LNO30	PSL2010LNO60
				RAL 7016	PSL2010LGRG20	PSL2010LGRG30	PSL2010LGRG60
UNEQUAL CORNER BRACKET PROFILE 30 X 15 X 1.3 MM			30 bars 20 bars 10 bars	Raw	BRPSL3015-20	BRPSL3015-30	BRPSL3015-60
				Anodised Silver	PSL3015SA20	PSL3015SA30	PSL3015SA60
				RAL 9010	PSL3015LBL20	PSL3015LBL30	PSL3015LBL60
				RAL 9005	PSL3015LNO20	PSL3015LNO30	PSL3015LNO60
				RAL 7016	PSL3015LGRG20	PSL3015LGRG30	PSL3015LGRG60
UNEQUAL CORNER BRACKET PROFILE 40 X 20 X 1.3 MM			24 bars 16 bars 8 bars	Raw	BRPSL4020-20	BRPSL4020-30	BRPSL4020-60
				Anodised Silver	PSL4020SA20	PSL4020SA30	PSL4020SA60
				RAL 9010	PSL4020LBL20	PSL4020LBL30	PSL4020LBL60
				RAL 9005	PSL4020LNO20	PSL4020LNO30	PSL4020LNO60
				RAL 7016	PSL4020LGRG20	PSL4020LGRG30	PSL4020LGRG60
UNEQUAL CORNER BRACKET PROFILE 50 X 25 X 1.5 MM			18 bars 12 bars 6 bars	Raw	BRPSL5025-20	BRPSL5025-30	BRPSL5025-60
				Anodised Silver	PSL5025SA20	PSL5025SA30	PSL5025SA60
				RAL 9010	PSL5025LBL20	PSL5025LBL30	PSL5025LBL60
				RAL 9005	PSL5025LNO20	PSL5025LNO30	PSL5025LNO60
				RAL 7016	PSL5025LGRG20	PSL5025LGRG30	PSL5025LGRG60
UNEQUAL CORNER BRACKET PROFILE 60 X 40 X 1.5 MM			12 bars 8 bars 4 bars	Raw	BRPSL6040-20	BRPSL6040-30	BRPSL6040-60
				Anodised Silver	PSL6040SA20	PSL6040SA30	PSL6040SA60
				RAL 9010	PSL6040LBL20	PSL6040LBL30	PSL6040LBL60
				RAL 9005	PSL6040LNO20	PSL6040LNO30	PSL6040LNO60
				RAL 7016	PSL6040LGRG20	PSL6040LGRG30	PSL6040LGRG60
				RAL 9005 textured	PSL6040LNOG20	PSL6040LNOG30	PSL6040LNOG60

PROFILES			Packaging 2000mm 3000mm 6000mm	Finish	Item Code 2000mm	Item Code 3000 mm	Item Code 6000 mm
T PROFILE			30 bars 20 bars 10 bars	Raw	BRPSTE2525-20	BRPSTE2525-30	BRPSTE2525-60
				Anodised Silver	PSTE2525SA20	PSTE2525SA30	PSTE2525SA60
				RAL 9010	PSTE2525LBL20	PSTE2525LBL30	PSTE2525LBL60
				RAL 9005	PSTE2525LNO20	PSTE2525LNO30	PSTE2525LNO60
				RAL 7016	PSTE2525LGRG20	PSTE2525LGRG30	PSTE2525LGRG60
				RAL 9005 textured	PSTE2525LNOG20	PSTE2525LNOG30	PSTE2525LNOG60
U PROFILE			24 bars 16 bars 8 bars	Raw	BRPSU2020-20	BRPSU2020-30	BRPSU2020-60
				Anodised Silver	PSU2020SA20	PSU2020SA30	PSU2020SA60
				RAL 9010	PSU2020LBL20	PSU2020LBL30	PSU2020LBL60
				RAL 9005	PSU2020LNO20	PSU2020LNO30	PSU2020LNO60
				RAL 7016	PSU2020LGRG20	PSU2020LGRG30	PSU2020LGRG60
				RAL 9005 textured	PSU2020LNOG20	PSU2020LNOG30	PSU2020LNOG60
FLAT PROFILE 30 X 4MM			30 bars 20 bars 10 bars	Raw	BRPPLAT30X4-20	BRPPLAT30X4-30	BRPPLAT30X4-60
				Anodised Silver	PPLAT30SA20	PPLAT30SA30	PPLAT30SA60
				RAL 9010	PPLAT30LBL20	PPLAT30LBL30	PPLAT30LBL60
				RAL 9005	PPLAT30LNO20	PPLAT30LNO30	PPLAT30LNO60
				RAL 7016	PPLAT30LGRG20	PPLAT30LGRG30	PPLAT30LGRG60
				RAL 9005 textured	PPLAT30LNOG20	PPLAT30LNOG30	PPLAT30LNOG60
FLAT PROFILE 40 X 4MM			30 bars 20 bars 10 bars	Raw	BRPPLAT40X4-20	BRPPLAT40X4-30	BRPPLAT40X4-60
				Anodised Silver	PPLAT40SA20	PPLAT40SA30	PPLAT40SA60
				RAL 9010	PPLAT40LBL20	PPLAT40LBL30	PPLAT40LBL60
				RAL 9005	PPLAT40LNO20	PPLAT40LNO30	PPLAT40LNO60
				RAL 7016	PPLAT40LGRG20	PPLAT40LGRG30	PPLAT40LGRG60
				RAL 9005 textured	PPLAT40LNOG20	PPLAT40LNOG30	PPLAT40LNOG60
TUBE PROFILE Ø20			24 bars 16 bars 8 bars	Raw	BRPST20-20	BRPST20-30	BRPST20-60
				Anodised Silver	PST20SA20	PST20SA30	PST20SA60
				RAL 9010	PST20LBL20	PST20LBL30	PST20LBL60
				RAL 9005	PST20LNO20	PST20LNO30	PST20LNO60
				RAL 7016	PST20LGRG20	PST20LGRG30	PST20LGRG60
				RAL 9005 textured	PST20LNOG20	PST20LNOG30	PST20LNOG60
TUBE PROFILE Ø30			18 bars 12 bars 6 bars	Raw	BRPST30-20	BRPST30-30	BRPST30-60
				Anodised Silver	PST30SA20	PST30SA30	PST30SA60
				RAL 9010	PST30LBL20	PST30LBL30	PST30LBL60
				RAL 9005	PST30LNO20	PST30LNO30	PST30LNO60
				RAL 7016	PST30LGRG20	PST30LGRG30	PST30LGRG60
				RAL 9005 textured	PST30LNOG20	PST30LNOG30	PST30LNOG60
TUBE PROFILE Ø40			12 bars 8 bars 4 bars	Raw	BRPST40-20	BRPST40-30	BRPST40-60
				Anodised Silver	PST40SA20	PST40SA30	PST40SA60
				RAL 9010	PST40LBL20	PST40LBL30	PST40LBL60
				RAL 9005	PST40LNO20	PST40LNO30	PST40LNO60
				RAL 7016	PST40LGRG20	PST40LGRG30	PST40LGRG60
				RAL 9005 textured	PST40LNOG20	PST40LNOG30	PST40LNOG60
SQUARE PROFILE 16 X 16 X 1.3MM			24 bars 16 bars 8 bars	Raw	BRPSC1616-20	BRPSC1616-30	BRPSC1616-60
				Anodised Silver	PSC1616SA20	PSC1616SA30	PSC1616SA60
				RAL 9010	PSC1616LBL20	PSC1616LBL30	PSC1616LBL60
				RAL 9005	PSC1616LNO20	PSC1616LNO30	PSC1616LNO60
				RAL 7016	PSC1616LGRG20	PSC1616LGRG30	PSC1616LGRG60
				RAL 9005 textured	PSC1616LNOG20	PSC1616LNOG30	PSC1616LNOG60
SQUARE PROFILE 20 X 20 X 1.3MM			18 bars 12 bars 6 bars	Raw	BRPSC2020-20	BRPSC2020-30	BRPSC2020-60
				Anodised Silver	PSC2020SA20	PSC2020SA30	PSC2020SA60
				RAL 9010	PSC2020LBL20	PSC2020LBL30	PSC2020LBL60
				RAL 9005	PSC2020LNO20	PSC2020LNO30	PSC2020LNO60
				RAL 7016	PSC2020LGRG20	PSC2020LGRG30	PSC2020LGRG60
				RAL 9005 textured	PSC2020LNOG20	PSC2020LNOG30	PSC2020LNOG60
SQUARE PROFILE 30 X 30 X 1.3MM			12 bars 8 bars 4 bars	Raw	BRPSC3030-20	BRPSC3030-30	BRPSC3030-60
				Anodised Silver	PSC3030SA20	PSC3030SA30	PSC3030SA60
				RAL 9010	PSC3030LBL20	PSC3030LBL30	PSC3030LBL60
				RAL 9005	PSC3030LNO20	PSC3030LNO30	PSC3030LNO60
				RAL 7016	PSC3030LGRG20	PSC3030LGRG30	PSC3030LGRG60
				RAL 9005 textured	PSC3030LNOG20	PSC3030LNOG30	PSC3030LNOG60
SQUARE PROFILE 40 X 40 X 1.3MM			9 bars 6 bars 3 bars	Raw	BRPSC4040-20	BRPSC4040-30	BRPSC4040-60
				Anodised Silver	PSC4040SA20	PSC4040SA30	PSC4040SA60
				RAL 9010	PSC4040LBL20	PSC4040LBL30	PSC4040LBL60
				RAL 9005	PSC4040LNO20	PSC4040LNO30	PSC4040LNO60
				RAL 7016	PSC4040LGRG20	PSC4040LGRG30	PSC4040LGRG60
				RAL 9005 textured	PSC4040LNOG20	PSC4040LNOG30	PSC4040LNOG60
RECTANGULAR PROFILE 20 X 10 X 1.2MM			30 bars 20 bars 10 bars	Raw	BRPSR2010-20	BRPSR2010-30	BRPSR2010-60
				Anodised Silver	PSR2010SA20	PSR2010SA30	PSR2010SA60
				RAL 9010	PSR2010LBL20	PSR2010LBL30	PSR2010LBL60
				RAL 9005	PSR2010LNO20	PSR2010LNO30	PSR2010LNO60
				RAL 7016	PSR2010LGRG20	PSR2010LGRG30	PSR2010LGRG60
				RAL 9005 textured	PSR2010LNOG20	PSR2010LNOG30	PSR2010LNOG60
RECTANGULAR PROFILE 30 X 15 X 1.3MM			18 bars 12 bars 6 bars	Raw	BRPSR3015-20	BRPSR3015-30	BRPSR3015-60
				Anodised Silver	PSR3015SA20	PSR3015SA30	PSR3015SA60
				RAL 9010	PSR3015LBL20	PSR3015LBL30	PSR3015LBL60
				RAL 9005	PSR3015LNO20	PSR3015LNO30	PSR3015LNO60
				RAL 7016	PSR3015LGRG20	PSR3015LGRG30	PSR3015LGRG60
				RAL 9005 textured	PSR3015LNOG20	PSR3015LNOG30	PSR3015LNOG60
RECTANGULAR PROFILE 40 X 20 X 1.3MM			12 bars 8 bars 4 bars	Raw	BRPSR4020-20	BRPSR4020-30	BRPSR4020-60
				Anodised Silver	PSR4020SA20	PSR4020SA30	PSR4020SA60
				RAL 9010	PSR4020LBL20	PSR4020LBL30	PSR4020LBL60
				RAL 9005	PSR4020LNO20	PSR4020LNO30	PSR4020LNO60
				RAL 7016	PSR4020LGRG20	PSR4020LGRG30	PSR4020LGRG60
				RAL 9005 textured	PSR4020LNOG20	PSR4020LNOG30	PSR4020LNOG60
RECTANGULAR PROFILE 60 X 10 X 1.3MM			12 bars 8 bars 4 bars	Raw	BRPSR6010-20	BRPSR6010-30	BRPSR6010-60
				Anodised Silver	PSR6010SA20	PSR6010SA30	PSR6010SA60
				RAL 9010	PSR6010LBL20	PSR6010LBL30	PSR6010LBL60
				RAL 9005	PSR6010LNO20	PSR6010LNO30	PSR6010LNO60
				RAL 7016	PSR6010LGRG20	PSR6010LGRG30	PSR6010LGRG60
				RAL 9005 textured	PSR6010LNOG20	PSR6010LNOG30	PSR6010LNOG60

# KITS

## READY-TO-ASSEMBLE

### V30 INTERIOR GLASS PARTITION KITS



#### KITV30LBLG810 KITV30LNOG810

##### V30 Kit 810mm


- 2 frame profiles, 1250 mm
- 2 glazing bead profiles for frame, 1250 mm
- 2 frame profiles, 750 mm
- 2 glazing bead profiles for frame, 750 mm
- 1 glazing bead profile for crosspiece, 1190 mm
- 1 crosspiece profile, 1190 mm
- 1 bubble gasket, 7 m
- 1 flat gasket, 7 m
- 8 brackets
- 20 clips
- 6 shims, 20 x 5 mm
- 1 Allen key



#### KITV30LBLG1200 KITV30LNOG1200

##### V30 Kit 1200mm



- 2 frame profiles, 1250 mm
- 2 glazing bead profiles for frame, 1250 mm
- 2 frame profiles, 1140 mm
- 2 glazing bead profiles for frame, 1140 mm
- 2 glazing bead profiles for crosspiece, 1190 mm
- 2 crosspiece profiles, 1190 mm
- 1 bubble gasket, 10 m
- 1 flat gasket, 10 m
- 12 brackets
- 30 clips
- 8 shims, 20 x 5 mm
- 1 Allen key



#### KITV30LBLG1590 KITV30LNOG1590

##### Kit V30 1590mm

- 2 frame profiles, 1250 mm
- 2 glazing bead profiles for frame, 1250 mm
- 2 frame profiles, 1530 mm
- 2 glazing bead profiles for frame, 1530 mm
- 3 glazing bead profiles for crosspiece, 1190 mm
- 3 crosspiece profiles, 1190 mm
- 1 bubble gasket, 13 m
- 1 flat gasket, 13 m
- 16 brackets
- 40 clips
- 10 shims, 20 x 5 mm
- 1 Allen key




#### KITV30LBLG1980 KITV30LNOG1980

##### Kit V30 1980mm

- 2 frame profiles, 1250 mm
- 2 glazing bead profiles for frame, 1250 mm
- 2 frame profiles, 1920 mm
- 2 glazing bead profiles for frame, 1920 mm
- 4 glazing bead profiles for crosspiece, 1190 mm
- 4 crosspiece profiles, 1190 mm
- 1 bubble gasket, 17 m
- 1 flat gasket, 17 m
- 20 brackets
- 45 clips
- 12 shims, 20 x 5 mm
- 1 Allen key

Other kit configurations available on request


# SWING DOOR KITS



## KITPORTE20BLG KITPORTE20LNOG

### Swing door kit with frame

- 2 frame profiles 26 mm x 2241 mm
- 1 frame profile 26 mm x 940 mm
- 2 glazing bead profiles for frame 26 mm x 2241 mm
- 1 glazing bead profile for frame 26 mm x 912 mm
- 1 machined swing door profile 66 mm x 2200 mm
- 1 swing door profile 40 mm x 2200 mm
- 2 top and bottom crosspieces 40 mm x 824 mm
- 1 intermediate crosspiece 37 mm x 826 mm
- 2 glazing profiles 6/8 mm x 2130 mm
- 2 glazing profiles 6/8 mm x 824 mm
- 2 glazing profiles 6/8 mm x 826 mm
- 2 assembly covers 66 mm
- 2 assembly covers 40 mm
- 4 complete hinge kits
- 10 screws 4.8 x 50 mm AF
- 1 handle with lock
- 1 cylinder
- 2 finishing plates (23 mm) x 2241 mm
- 2 finishing plates (23 mm) x 2200 mm
- 1 finishing plate (23 mm) x 940 mm
- 2 strike plates
- 1 bubble seal – 5.50 m
- 1 bag of 20 clips



## KITPORTE30BLG KITPORTE30LNOG

### V70 integrated swing door kit

- 1 machined swing door profile 66 mm x 2200 mm
- 1 swing door profile 40 mm x 2200 mm
- 2 top and bottom crosspieces 40 mm x 824 mm
- 1 intermediate crosspiece 37 mm x 826 mm
- 2 glazing profiles 6/8 mm x 2130 mm
- 2 glazing profiles 6/8 mm x 824 mm
- 2 glazing profiles 6/8 mm x 826 mm
- 2 assembly covers 66 mm
- 2 assembly covers 40 mm
- 4 complete hinge kits
- 10 screws 4.8 x 50 mm AF
- 1 handle with lock
- 1 cylinder
- 2 V70 swing door glazing beads – 2215 mm
- 1 V70 swing door glazing bead – 912 mm
- 2 strike plates
- 1 bubble seal – 5.50 m
- 1 bag of 20 clips

# WARDROBE KITS



## KIT100SA2 KIT100LBL2

### 2 doors (2550x2550 mm)

- 1 top rail bar 82 mm x 2550 mm
- 1 bottom rail bar 55 mm x 2550 mm
- 1 bottom angle bar x 2550 mm
- 4 P100 handle profiles x 2550 mm
- 2 accessory kits (2 wheels + 2 top guides)
- 2 brake strips + 2 coated brake strips



## KIT100SA3 KIT100LBL3

### 3 doors (2550x2550 mm)

- 1 top rail bar 82 mm x 2550 mm
- 1 bottom rail bar 55 mm x 2550 mm
- 1 bottom angle bar x 2550 mm
- 6 P100 handle profiles x 2550 mm
- 3 accessory kits (2 wheels + 2 top guides)
- 3 brake strips + 3 coated brake strips



## KIT710SA2 KIT710LBL2 KIT710LNOG2

### 2 doors (2550x2550 mm)

- 1 top rail bar 96 mm x 2550 mm
- 1 bottom rail bar 65 mm x 2550 mm
- 1 bottom angle bar x 2550 mm
- 4 P710 handle profiles x 2550 mm
- 2 accessory kits (2 wheels + 2 top guides)
- 2 brake strips + 2 coated brake strips
- 1 brush gasket – 10 m



## KIT30019SA2 KIT30019LBL2 KIT30019LNOG2

### 2 doors (2550x2550 mm)

- 1 top rail bar 96 mm x 2550 mm
- 1 bottom rail bar 65 mm x 2550 mm
- 1 bottom angle bar x 2550 mm
- 4 P300-19 handle profiles x 2550 mm
- 2 accessory kits (2 wheels + 2 top guides)
- 2 brake strips + 2 coated brake strips
- 1 brush gasket – 10 m



## KIT30019SA3 KIT30019LBL3 KIT30019LNOG3

### 3 doors (2550x2550 mm)

- 1 top rail bar 96 mm x 2550 mm
- 1 bottom rail bar 65 mm x 2550 mm
- 1 bottom angle bar x 2550 mm
- 6 P300-19 handle profiles x 2550 mm
- 3 accessory kits (2 wheels + 2 top guides)
- 3 brake strips + 3 coated brake strips
- 1 brush gasket – 15 m

Other kit configurations available on request

\*White Lacquered Powder Coating with a fine texture 9003  
\*\*Black Lacquered Powder Coating with a fine texture 9005

# AIRGO KITS



RAL 9005\*\*

## KITAIRGOLNOG10

### Shelf base kit

- 4 square profile bars – 280 mm
- 4 panel profile bars – 173 mm
- 4 panel profile bars – 530 mm
- 8 flat 3-way connectors
- 24 joining pieces
- 24 assembly screws
- 2 cover caps – 10 mm diameter

**W: 600mm D: 243mm H: 350mm**



RAL 9005\*\*

## KITAIRGOLNOG11

### Vertical shelf extension kit

- 4 square profile bars – 280 mm
- 2 panel profile bars – 173 mm
- 2 panel profile bars – 530 mm
- 4 four-way connectors
- 16 joining pieces
- 16 assembly screws
- 2 cover caps – 10 mm diameter

**W: 600mm D: 243mm H: 329mm**



RAL 9005\*\*

## KITAIRGOLNOG12

### Horizontal shelf extension kit

- 2 square profile bars – 280 mm
- 2 panel profile bars – 173 mm
- 4 panel profile bars – 530 mm
- 4 four-way connectors
- 16 joining pieces
- 16 assembly screws
- 1 cover cap – 10 mm diameter

**W: 579mm D: 243mm H: 350mm**



RAL 9005\*\*

## KITAIRGOLNOG20

### Ladder base kit

- 12 square profile bars – 273 mm
- 8 square profile bars – 75 mm
- 8 flat 3-way connectors
- 8 2-way connectors
- 40 joining pieces
- 40 assembly screws
- 4 cover caps – 10 mm diameter

**W: 343mm H: 591mm**



RAL 9005\*\*

## KITAIRGOLNOG21


### Ladder extension kit

- 6 square profile bars – 273 mm
- 4 flat 3-way connectors
- 12 joining pieces
- 12 assembly screws
- 2 cover caps – 10 mm diameter

**W: 343mm H: 322mm**

Other kit configurations available on request.

# LEEFT KITS



## KITLEEFT10BLG KITLEEFT10LNOG

### Shelf base kit

- 2 Leeft 60 profile bars – 2550 mm
- 2 finishing plates (23 mm) – 2550 mm
- 2 angle brackets – 100 × 100 mm
- 2 fixing hardware kits
- 2 adjustable feet
- 4 shelf support kits (each kit includes 2 supports)



## KITLEEFT11BLG KITLEEFT11LNOG

### Shelf extension kit


- 1 Leeft 60 profile bar – 2550 mm
- 1 finishing plate (23 mm) – 2550 mm
- 1 angle bracket – 100 × 100 mm
- 1 set of 2 fixing pieces
- 1 adjustable foot
- 4 shelf support kits (each kit includes 2 supports)



## KITSELEEFTLNOG KITSELEEFTLNOG

### 2-shelf support kit


- 1 set of 2 shelf supports



## KITLEEFT20BLG KITLEEFT20LNOG

### Rod base kit

- 2 Leeft 60 profile bars – 2550 mm
- 2 finishing plates (23 mm) – 2550 mm
- 1 wardrobe rod profile – 1000 mm
- 2 angle brackets – 100 × 100 mm
- 2 sets of 2 fixing pieces
- 2 adjustable feet
- 1 set of 2 shelf supports
- 1 set of 2 wardrobe rod profile supports



## KITLEEFT21BLG KITLEEFT21LNOG

### Rod extension kit

- 1 Leeft 60 profile bar – 2550 mm
- 1 finishing plate (23 mm) – 2550 mm
- 1 wardrobe rod profile – 1000 mm
- 1 angle bracket – 100 × 100 mm
- 1 set of 2 fixing pieces
- 1 adjustable foot
- 1 set of 2 shelf supports
- 1 set of 2 wardrobe rod profile supports



## KITSELEEFT22BLG KITSELEEFT22LNOG

### Rod kit

- 1 wardrobe rod profile – 1000 mm
- 1 set of 2 wardrobe rod profile supports

Other kit configurations available on request.

\*White Lacquered Powder Coating with a fine texture 9003  
\*\*Black Lacquered Powder Coating with a fine texture 9005

# TEMPLATES & TOOLS

TEMPLATES		Packaging	Finish	Item Code
DRILLING TEMPLATE - 70 KG SUSPENDED DOOR FOR HANDLES P810 (REF. P810), P1000 (REF. P1000), OR P7000 (REF. P7000)		1 unit	Steel	GABPERP1000&7000
DRILLING TEMPLATE - 70 KG SUSPENDED DOOR FOR TOP AND BOTTOM RAIL 75 (REF. THB75)		1 unit	Steel	GABPERTHB75
DRILLING TEMPLATE - 40 KG SUSPENDED DOOR FOR HANDLES P810 (REF. P810), P820 (REF. P820), AND TOP AND BOTTOM RAIL 52 (REF. THB52)		1 unit	Steel	GABPERP40
DRILLING TEMPLATE - HINGED DOOR FOR HANDLE PROFILE (REF. PO40 / PO66) + FRAME (REF. PD26)		1 unit	Steel	GABPERPOUV
DRILLING TEMPLATE - HINGED DOOR FOR INTERMEDIATE RAIL 28 (REF. TI28) AND 37 (REF. TI37)		1 unit	Steel	GABPERTI28&37
DRILLING TEMPLATE FOR PIVOT HANDLE (REF. PPIV) + 52 MM RAIL (REF. THB52)		1 unit	Steel	GABPIV12
DRILLING TEMPLATE FOR CADRALU HINGED DOOR (REF. PCA45)		1 unit	Steel	GABPERPCA45

TOOLS		Packaging	Finish	Item Code
STEP DRILL BIT Ø 5.5 / 10 MM		1 unit	Steel	FORET
60° HSS CENTRE DRILL BIT Ø 8 × 3 × 50 MM		1 unit	Steel	FORETAGE8/3

# THE CONFIGURATOR, YOUR TECHNICAL ADVANTAGE

Discover our Technical Configurator, a simple and intuitive configuration tool designed to streamline your quoting and order preparation processes. With our configurator, you can easily create detailed quotes and preparation forms in just a few clicks.

Our user-friendly interface guides you through each step of the process, allowing you to quickly and easily customise project specifications based on the provided measurements. No more wasting time juggling between different applications and documents — with our configurator, everything you need is gathered in one place, helping you work more efficiently and focus on what truly matters: your customers' satisfaction.



## A SHOWROOM TO DISCOVER



# DISTRIBUTION & SERVICES

## > OUR DISTRIBUTION FORMATS

At SEED, every order is tailored to the project's requirements and the client's constraints. We offer a variety of distribution formats:

### BULK DELIVERY

#### > PACKAGED DELIVERY

**Optimise your costs and production**, with our packaged lots: an economical solution offering controlled lead times and the flexibility to manufacture more.

- > Dispatch within 15 working days
- > Use our project configurator to obtain the system component list according to your defined configuration
- > Based on the 'system' list, packaging rules are applied

#### > PER UNIT

**Order by unit and manage your needs precisely:** the right quantity for your single-unit production, with the flexibility you require. Accurate stock control.

- > Dispatch within 15 working days
- > Project configuration and preparation form generated with our project configurator
- > The preparation form serves as the order list

### AS READY-TO-ASSEMBLE KITS

#### > ADJUSTABLE STANDARD

**Preconfigured, Ready-to-Assemble Solution**

- > Dispatch within 7 working days
- > No need for a quote - easy, unit-based ordering using predefined product references
- > Kits include pre-cut profiles and accessories: a complete, ready-to-assemble system
- > Choice of colours, finishes, and dimensions depending on the product range
- > Can be resized during assembly to suit your specific product requirements
- > Available across 5 SEED ranges: COZEE sliding wardrobe, SYMPHONEE internal partition with base panel, HARMONEE swing door, AIRGO and LEEFT modular furniture, and the LEEFT dressing system

#### > PREMIUM MADE-TO-MEASURE

**Pre-cut Solution and Custom-Made Kits**

- > Quotation within 48 hours (excluding infill elements)
- > Cutting of profiles to length and packaging of profiles + accessories
- > Dispatch within 7 working days
- > Service available across the full SEED product range

## > OUR ON-DEMAND SERVICES



### MULTI-RAL POWDER COATING

Because every project is unique, we offer a bespoke **multi-RAL colour coating service** on demand

Whatever your requirements, we produce your aluminium profiles in the colour of your choice (powder coating), from the full range of RAL shades. This custom service allows you to perfectly tailor your finishes to the aesthetic and technical demands of your projects. Each request is subject to a specific assessment, with pricing and lead times adapted to ensure the best possible response to your needs.

**Choose uncompromising customisation and bring your projects to life with the ideal colour. Stand out and make a lasting impression with your clients.**



### TECHNICAL CO-DEVELOPMENT

At SEED, we put our expertise and Design Office at the service of your projects. Through our **co-development service**, we collaborate closely with you to design technical solutions tailored to your needs

**Together, we develop efficient, durable solutions adapted to your challenges, ensuring each project is a technical and aesthetic success.**



Z.A. des Estuaires,  
Avenue de la Pierre Vallée,  
50220 POILLEY - FRANCE

+33 (0)2 33 89 02 83

[seedgammiste.com](http://seedgammiste.com)



All our product  
videos here

